

## Series 8, Built-in oven, 60 x 60 cm, Black HBG633BB1B



A<sup>+</sup>



1 x grill tray, 2 x combination grid, 1 x universal pan

HEZ327000 Pizza stone, HEZ530000 Half tray, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 Universal pan, non-stick ceramic coated, HEZ617000 Pizza pan, enamelled, HEZ625071 Grill tray, anthracite, HEZ631070 Baking tray, enamelled, HEZ632070 Multipurpose pan, enamelled, HEZ633001 Lid for professional pan, enamelled, HEZ633070 Professional pan with grid, enamelled, HEZ634000 Baking and roasting grid, HEZ635000 Barbecue-Set, HEZ636000 Glass pan, HEZ638100 1 level telescopic shelf rail, full ext, HEZ638200 2 level telescopic shelf rails, full ext, HEZ638300 3 level telescopic rails, full ext, HEZ660050 Cover Strip, HEZ664000 Baking and roasting grid, steam, HEZ915003 Glass roasting dish, 5,4 L

## The built-in oven: you get perfect baking and roasting results.

- **4D HotAir:** even heat distribution for perfect results – on up to four levels simultaneously
- **TFT display control:** easy-to-use thanks to the control ring with full text and symbols.
- **EcoClean Direct:** almost no cleaning is necessary thanks to a special coating of the rear wall that cleans itself
- **Drop Down door with SoftOpen and SoftClose:** the oven door opens and closes gently and quietly
- **Fast pre heating**

Built-in / Free-standing: ..... Built-in  
Integrated Cleaning system: ..EcoClean Direct programme, Hydrolytic  
Required niche size for installation (HxWxD): .....585-595 x 560-568 x 550 mm  
Dimensions: ..... 595x594x548 mm  
Dimensions of the packed product (HxWxD): ..... 670 x 670 x 680 mm  
Control Panel Material: ..... Glass  
Door Material: ..... Glass  
Net weight: .....35.0 kg  
Usable volume of cavity: ..... 71 l  
Cooking method: ..... 4D Hotair, Defrost, Full width grill, Hot Air-Eco, Half width grill, Conventional heat, Conventional heat ECO, Pizza setting, Bottom heat, Hot air grilling  
Oven control: ..... electronic  
Number of interior lights: ..... 1  
Length electrical supply cord: ..... 120.0 cm  
EAN code: .....4242002880907  
Number of cavities (2010/30/EC): ..... 1  
Energy efficiency rating: .....A<sup>+</sup>  
Energy consumption per cycle conventional (2010/30/EC): .....0.87 kWh/cycle  
Energy consumption per cycle forced air convection (2010/30/EC):69 kWh/cycle  
Energy efficiency index (2010/30/EC): .....81.2 %  
Connection rating: ..... 3600 W  
Fuse protection: .....16 A  
Voltage: .....220-240 V  
Frequency: ..... 50; 60 Hz  
Plug type: ..... no plug (electrical connection by electrician)  
Included accessories: ..... 1 x grill tray, 2 x combination grid, 1 x universal pan



4 242002 880907

**Series 8, Built-in oven, 60 x 60 cm,  
Black  
HBG633BB1B**

**The built-in oven: you get perfect baking  
and roasting results.**

---

**Design**

- 2.5"-TFT colour and text display with direct select buttons

**Features**

- Control panel lock Automatic safety switch off Residual heat indicator Start button Door contact switch
- Electronic clock timer
- Interior halogen light, Light on/off when oven door opened/closed


**Cleaning**

- EcoClean Direct : back panel


**Programmes/functions**

- Oven with 10 cooking functions: heating methods: 4D Hotair, Hotair Gentle, conventional top and bottom heat, conventional heat Gentle, Hotair grilling, full width variable grill, half width grill, pizza function, bottom heat, defrost
- Fast pre-heating function
- 1 x grill tray, suit. pyrol. clean., 2 x combination grid, 1 x universal pan
- Integral cooling fan
- 120 cm Cable length
- Total connected load electric: 3.6 KW
- Nominal voltage: 220 - 240 V
- Appliance dimension (hxwxd): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwxd): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

**Series 8, Built-in oven, 60 x 60 cm,  
Black  
HBG633BB1B**



measurements in mm



If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm

