

Series 8, Built-in oven, 60 x 60 cm, Black HBG673BB1B





Included accessories

2 x combination grid, 1 x universal pan

Optional accessories

HEZ327000 Pizza stone, HEZ617000 Pizza pan, enamelled, HEZ625071 Grill tray, anthracite, HEZ631010 Baking tray, non-stick coated, HEZ631070 Baking tray, enamelled, HEZ632010 Universal pan, non-stick coated, HEZ632070 Multipurpose pan, enamelled, HEZ633001 Lid for professional pan, enamelled, HEZ633070 Professional pan with grid, enamelled, HEZ634000 Baking and roasting grid, HEZ635000 Barbecue-Set, HEZ636000 Glass pan, HEZ638170 1 level telescopic rail, full ext, pyro, HEZ638270 2 level telescopic rails, full ext,pyro, HEZ660050 Cover Strip, HEZ6BCA0 Cookbook, HEZ6BMA00 Assembly kit for vertical installation, HEZ9020 Conversion cabinet, HEZ915003 Glass roasting dish, 5,4 L, HEZG0AS00 Connecting cable 3m

The built-in oven with AutoPilot: automatically prepares perfect dishes.

- 4D Hotair: even heat distribution for perfect results on any level.
- AutoPilot 10: every dish is a perfect success thanks to 10 pre-set automatic programmes.
- TFT display control: easy-to-use thanks to the control ring with full text and symbols.
- Pyrolytic self-cleaning: Automatically cleans the oven, just wipe out
- Drop down door with SoftOpen and SoftClose: the oven door opens and closes gently and quietly

| Technical Data Built-in / Free-standing: |
|--|
| Dimensions: |
| setting, Bottom heat, Hot air grilling Oven control: |
| kWh/cycle Energy consumption per cycle forced air convection (2010/30/EQ):69 kWh/cycle Energy efficiency index (2010/30/EC): |
| • |





Series 8, Built-in oven, 60 x 60 cm, Black HBG673BB1B

The built-in oven with AutoPilot: automatically prepares perfect dishes.

Design

- 2.5"-TFT colour and text display with direct select buttons
- Drop down door, SoftClose, SoftOpen
- Bosch control wheel
- Straight bar handle
- Cavity inner surface: enamel anthracite

Features

- Digital temperature display with proposal
- Actual temperature display
- Heating-up indicator
- AutoPilot
- Control panel lock
- Automatic safety switch off
- Residual heat indicator
- Start button
- Door contact switch
- AutoPilot, 10
- Electronic clock timer
- Main on/off switch
- Interior halogen light, Light on/off when oven door opened/closed
- Light on/off when oven door opened/closed
- 5 shelf positions

Cleaning

- Pyrolytic self-cleaning function
- Full glass inner door

Programmes/functions

- Oven with 10 cooking functions: heating methods: 4D Hotair, Hotair Gentle, conventional top and bottom heat, conventional heat Gentle, Hotair grilling, full width variable grill, half width grill, pizza function, bottom heat, defrost
- Fast pre-heating function

Standard accessories

- 2 x combination grid, 1 x universal pan


Performance/technical information

- Energy efficiency rating (acc. EU Nr. 65/2014): A+
- Energy consumption per cycle in conventional mode: 81.2
- Energy consumption per cycle in fan-forced convection mode: 0.69 kwh
- Number of cavities: 1
- Cavity volume: 71 litre capacity
- Temperature range 30 °C 300 °C
- Integral cooling fan
- 120 cm Cable length
- Total connected load electric: 3.6 KW
- Nominal voltage: 220 240 V
- Appliance dimension (hxwxd): 595 mm x 594 mm x 548 mm

- Niche dimension (hxwxd): 585 mm 595 mm x 560 mm 568 mm x 550 mm
- "For-details-on-installation-and-ventilation requirements please refer to the installation manual prior to fitting."



Series 8, Built-in oven, 60 x 60 cm, Black HBG673BB1B



measurements in mm

min. 550 min. 35

585+10

19,5

min. 35

60

595

595

594

548

Space for appliance connection 320 x 115

measurements in mm

If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

| Hob type | min. worktop thickness | |
|-------------------------------|------------------------|-------|
| | fitted | flush |
| Induction hob | 37 mm | 38 mm |
| Full surface Induction hob | 47 mm | 48 mm |
| Gas hob | 30 mm | 38 mm |
| Electric hob | 27 mm | 30 mm |

