

**Series 2, Built-in oven, 60 x 60 cm,  
Stainless steel  
HBN331E3B**



**The built-in oven with special hot air function: you achieve perfect baking and roasting results on up to two levels simultaneously.**

- **Pop-out controls:** Make the front of the oven easy to clean and give it a sleek look.

#### Technical Data

Built-in / Free-standing: ..... Built-in  
Integrated Cleaning system: ..... No  
Required niche size for installation (HxWxD): ..... 575-597 x 560-568 x 550 mm  
Dimensions: ..... 595x595x548 mm  
Dimensions of the packed product (HxWxD): ..... 670 x 660 x 685 mm  
Control Panel Material: ..... Metal  
Door Material: ..... Glass  
Net weight: ..... 32.8 kg  
Usable volume of cavity: ..... 66 l  
Cooking method: ..... 3D hot air, Defrost, Hot air grilling, Full width variable grill  
EAN code: ..... 4242002899558  
Number of cavities (2010/30/EC): ..... 1  
Energy efficiency rating: ..... A  
Energy consumption per cycle forced air convection (2010/30/EC): 82 kWh/cycle  
Energy efficiency index (2010/30/EC): ..... 98.8 %  
Connection rating: ..... 2350 W  
Fuse protection: ..... 13 A  
Voltage: ..... 220-240 V  
Frequency: ..... 50; 60 Hz  
Plug type: ..... no plug (electrical connection by electrician), fixed connection (electrical connection by electrician)  
Included accessories: ..... 1 x insert grid, 1 x combination grid, 1 x universal pan

#### Included accessories

1 x insert grid, 1 x combination grid, 1 x universal pan

#### Optional accessories

HEZ430001	Alu baking tray
HEZ431001	Enamel baking tray
HEZ432001	Universal pan
HEZ434000	Combination grid



## **Series 2, Built-in oven, 60 x 60 cm, Stainless steel HBN331E3B**

**The built-in oven with special hot air function: you achieve perfect baking and roasting results on up to two levels simultaneously.**

---

### **Key Information**

- Mechanical control
- Drop down door

### **Design**

- Retractable control dials, Rotary dial
- Straight bar handle

### **Features**

- Electronic clock timer
- 1 interior light
- Round light
- Control panel lock
- Cavity inner surface: Smooth enamelled oven interior
- Smooth enamelled oven interior
- 4 shelf positions
- Full glass inner door

### **Programmes/functions**

- Oven with 4 cooking functions: heating methods: Hotair grilling, defrost, 3D hot air, full width variable grill


### **Performance/technical information**

- Cavity volume: 66 litre
- Integral cooling fan
- Stainless-steel fan
- Total connected load electric: 2.35 KW
- Appliance dimension (hwxwd): 595 mm x 595 mm x 548 mm
- Niche dimension (hwxwd): 575 mm - 597 mm x 560 mm - 568 mm x 550 mm
- "For-details-on-installation-and-ventilation requirements – please refer to the installation manual prior to fitting."
- Maximum window temperature 50° C
- Energy efficiency rating (acc. EU Nr. 65/2014): A
- Energy consumption per cycle in conventional mode: 98.8
- Energy consumption per cycle in fan-forced convection mode: 0.82 kwh
- Number of cavities: 1
- Cavity volume: 66 litre

### **Standard accessories**


- 1 x universal pan, 1 x combination grid, 1 x insert grid

**Series 2, Built-in oven, 60 x 60 cm,  
Stainless steel  
HBN331E3B**



\*20 mm for metal fascias

Measurements in mm



\* 20 mm for metal fascias

Dimensions in mm