

## Built-in double oven, Stainless steel HBN56M551B





## **Technical Data**

Construction type :Built-inIntegrated Cleaning system :NoDimensions of the product (mm) :888 x 595 x 550Dimensions of the packed product (HxWxD) (mm) :980 x 700 x 660Control Panel Material :Stainless steelDoor Material :GlassNet weight (kg) :56.975Usable volume of cavity (I) :30Cooking method :Bottom heat, Conventionalheat, Full width variable grill, Half width variable grillFirst cavity material :EnamelledTemperature control :electronicNumber of interior lights :2Approval certificates :CE, VDEEAN code :4242002415833Connection rating (W) :5500Current (A) :20Voltage (V) :240Frequency (Hz) :50Plug type :fixed connection, no plug	Color / Material Front :	Stainless steel
Dimensions of the product (mm) :888 x 595 x 550Dimensions of the packed product (HxWxD) (mm) :980 x 700 x 660Control Panel Material :Stainless steelDoor Material :GlassNet weight (kg) :56.975Usable volume of cavity (I) :30Cooking method :Bottom heat, Conventionalheat, Full width variable grill, Half width variable grillFirst cavity material :EnamelledTemperature control :electronicNumber of interior lights :2Approval certificates :CE, VDEEAN code :4242002415833Connection rating (W) :5500Current (A) :20Voltage (V) :240Frequency (Hz) :50	51	
Dimensions of the packed product (HxWxD) (mm):980 x 700 x 660Control Panel Material :Stainless steelDoor Material :GlassNet weight (kg) :56.975Usable volume of cavity (l) :30Cooking method :Bottom heat, Conventionalheat, Full width variable grill, Half width variable grillFirst cavity material :EnamelledTemperature control :electronicNumber of interior lights :2Approval certificates :CE, VDEEAN code :4242002415833Connection rating (W) :5500Current (A) :20Voltage (V) :240Frequency (Hz) :50	0 0 0	
980 x 700 x 660Control Panel Material :Stainless steelDoor Material :GlassNet weight (kg) :56.975Usable volume of cavity (l) :30Cooking method :Bottom heat, Conventionalheat, Full width variable grill, Half width variable grillFirst cavity material :EnamelledTemperature control :electronicNumber of interior lights :2Approval certificates :CE, VDEEAN code :4242002415833Connection rating (W) :5500Current (A) :20Voltage (V) :240Frequency (Hz) :50	-	
Control Panel Material :Stainless steelDoor Material :GlassNet weight (kg) :56.975Usable volume of cavity (l) :30Cooking method :Bottom heat, Conventionalheat, Full width variable grill, Half width variable grillFirst cavity material :EnamelledTemperature control :electronicNumber of interior lights :2Approval certificates :CE, VDEEAN code :4242002415833Connection rating (W) :5500Current (A) :20Voltage (V) :240Frequency (Hz) :50	Dimensions of the packed product (HxWxD) (mm) :	
Door Material :GlassDoor Material :GlassNet weight (kg) :56.975Usable volume of cavity (l) :30Cooking method :Bottom heat, Conventionalheat, Full width variable grill, Half width variable grillFirst cavity material :EnamelledTemperature control :electronicNumber of interior lights :2Approval certificates :CE, VDEEAN code :4242002415833Connection rating (W) :5500Current (A) :20Voltage (V) :240Frequency (Hz) :50		980 x 700 x 660
Net weight (kg) :56.975Usable volume of cavity (l) :30Cooking method :Bottom heat, Conventionalheat, Full width variable grill, Half width variable grillFirst cavity material :EnamelledTemperature control :electronicNumber of interior lights :2Approval certificates :CE, VDEEAN code :4242002415833Connection rating (W) :5500Current (A) :20Voltage (V) :240Frequency (Hz) :50	Control Panel Material :	Stainless steel
Usable volume of cavity (I) : 30 Cooking method : Bottom heat, Conventional heat, Full width variable grill, Half width variable grill First cavity material : Enamelled Temperature control : electronic Number of interior lights : 2 Approval certificates : CE, VDE EAN code : 4242002415833 Connection rating (W) : 5500 Current (A) : 20 Voltage (V) : 240 Frequency (Hz) : 50	Door Material :	Glass
Cooking method :Bottom heat, Conventionalheat, Full width variable grill, Half width variable grillFirst cavity material :EnamelledTemperature control :electronicNumber of interior lights :2Approval certificates :CE, VDEEAN code :4242002415833Connection rating (W) :5500Current (A) :20Voltage (V) :240Frequency (Hz) :50	Net weight (kg) :	56.975
heat, Full width variable grill, Half width variable grillFirst cavity material :EnamelledTemperature control :electronicNumber of interior lights :2Approval certificates :CE, VDEEAN code :4242002415833Connection rating (W) :5500Current (A) :20Voltage (V) :240Frequency (Hz) :50	Usable volume of cavity (I) :	30
First cavity material :EnamelledTemperature control :electronicNumber of interior lights :2Approval certificates :CE, VDEEAN code :4242002415833Connection rating (W) :5500Current (A) :20Voltage (V) :240Frequency (Hz) :50	Cooking method : Bottom heat, Conventional	
First cavity material :EnamelledTemperature control :electronicNumber of interior lights :2Approval certificates :CE, VDEEAN code :4242002415833Connection rating (W) :5500Current (A) :20Voltage (V) :240Frequency (Hz) :50	heat, Full width variable grill, Half	width variable grill
Temperature control :electronicNumber of interior lights :2Approval certificates :CE, VDEEAN code :4242002415833Connection rating (W) :5500Current (A) :20Voltage (V) :240Frequency (Hz) :50	_	-
Number of interior lights :2Approval certificates :CE, VDEEAN code :4242002415833Connection rating (W) :5500Current (A) :20Voltage (V) :240Frequency (Hz) :50	-	electronic
Approval certificates :   CE, VDE     EAN code :   4242002415833     Connection rating (W) :   5500     Current (A) :   20     Voltage (V) :   240     Frequency (Hz) :   50	•	2
EAN code : 4242002415833   Connection rating (W) : 5500   Current (A) : 20   Voltage (V) : 240   Frequency (Hz) : 50	Ū.	CF. VDF
Connection rating (W) :   5500     Current (A) :   20     Voltage (V) :   240     Frequency (Hz) :   50		,
Current (A) :   20     Voltage (V) :   240     Frequency (Hz) :   50		
Voltage (V) :   240     Frequency (Hz) :   50	= 1 1	
Frequency (Hz) : 50		
	<b>C</b>	2.0
Plug type · tixed connection no plug		



Included accessories 1 x insert grid 3 x combination grid 1 x universal pan



## Built-in double oven, Stainless steel HBN56M551B

- Electronic clock
- Automatic programmer
- Pop out controls
- Electronic function selector with Digital display
- Automatic temperature proposal
- Child lock
- Automatic safety shut off
- Triple glazed door
- Main Oven:
- 8 cooking methods: hot air, top and bottom heat, hot air grilling, dual grill, bottom heat, pizza setting, defrost
- Automatic roasting function
- Automatic rapid heating up
- Large 58 litre capacity
- Large viewing window with full width glass inner door
- Oven interior light
- Oxylytic cleaning system roof, back and side liners
- Secondary top oven:
- Multifunction oven with 4 cooking functions: conventional, dual zone grill, bottom heat
- 30 litre capacity
- Large viewing window with full width glass inner door
- Oxylytic cleaning system roof, back and side liners



## Built-in double oven, Stainless steel HBN56M551B

