

**Serie | 8, Built-in oven with added steam function, 60 x 60 cm, Stainless steel
HRG6769S6B**



The built-in oven with PerfectBake, PerfectRoast and added steam: automatically prepares your dishes so they're perfect and moist

- **PerfectBake:** the easy way to perfect baking results.
- **PerfectRoast:** precise measurement of core temperature for a perfect roast.
- **Added steam:** your foods turn out crispy on the outside and juicy on the inside.
- **4D Hotair:** even heat distribution for perfect results – on any level.
- **TFT touchdisplay:** clearly shows text and images, for easy and intuitive oven control.

Technical Data

Color / Material Front : Stainless steel
 Construction type : Built-in
 Integrated Cleaning system : Pyrolytic+Hydrolytic
 Required niche size for installation (HxWxD) : 585-595 x 560-568 x 550 mm
 Dimensions : 595 x 594 x 548 mm
 Dimensions of the packed product (HxWxD) : 675 x 690 x 660 mm
 Control Panel Material : Stainless steel
 Door Material : Glass
 Net weight : 45.7 kg
 Usable volume of cavity : 71 l
 Cooking method : , 4D Hotair, Bottom heat, Conventional heat, Defrost, dehydrate, Full width grill, Half width grill, Hot Air-Eco, Hot air grilling, Intensive heat, low temperature cooking, Pizza setting, pre-heating, warming
 Oven control : electronic
 Number of interior lights : 3
 Approval certificates : CE, VDE
 Length of electrical supply cord : 120 cm
 EAN code : 4242002932514
 Number of cavities (2010/30/EC) : 1
 Energy efficiency rating : A
 Energy consumption per cycle conventional (2010/30/EC) : 0.90 kWh/cycle
 Energy consumption per cycle forced air convection (2010/30/EC) : 0.74 kWh/cycle
 Energy efficiency index (2010/30/EC) : 87.1 %
 Connection rating : 3600 W
 Fuse protection : 16 A
 Voltage : 220-240 V
 Frequency : 50; 60 Hz
 Plug type : no plug

Included accessories

2 x combination grid
 1 x universal pan

Optional accessories

HEZ530000 : Half tray
 HEZ531010 : Baking tray, non-stick ceramic coated
 HEZ631070 : Baking tray, anthracite enamelled
 HEZ634000 : Baking and roasting grid (standard)
 HEZ636000 : Glass pan
 HEZ915003 : Glass roasting dish, 5,4 L



4 242002 932514

Serie | 8, Built-in oven with added steam function, 60 x 60 cm, Stainless steel HRG6769S6B

The built-in oven with PerfectBake, PerfectRoast and added steam: automatically prepares your dishes so they're perfect and moist

Design

- 3x 2,5"-TFT colour and graphics display with direct touch function
- Bosch control wheel
- Straight bar handle
- Drop down door, SoftClose, SoftOpen
- 5 shelf positions

Features

- Electronic door lock
Control panel lock Automatic safety switch off Residual heat indicator Start button Door contact switch
- Digital temperature display with proposal
Actual temperature display Heating-up indicator Temperature probe
- Home Connect ready
- BoschAssist
- PerfectBake sensor
PerfectRoast meatprobe
- Electronic clock timer
- LED-Elongated light, LED light, Light on/off when oven door opened/closed
- Integral cooling fan
- Water tank empty indicator

Cleaning

- Pyrolytic self-cleaning function
- Full glass inner door

Programmes/functions

- Additional functions:
Descaling programme
Drying function
- Additional heating methods with steam: reheating with steam, Dough proving
- Fast pre-heating function

Accessories

- 3 level telescopic shelf rails, full extension, Stop function, pyrolytic proof
- 2 x combination grid, 1 x universal pan

Performance/technical information

- Energy efficiency rating (acc. EU Nr. 65/2014): A
Energy consumption per cycle in conventional mode:0.9 kWh
Energy consumption per cycle in fan-forced convection mode:0.74 kWh
Number of cavities: Main cavity Heat source: electrical Cavity volume:71 litre capacity
- Temperature range 30 °C - 275 °C
- 120 cm Cable length
- 1 l Water tank
- Location of water tank: Outside cavity
- Total connected load electric: 3.6 KW
- Nominal voltage: 220 - 240 V
- Appliance dimension (hxwxd): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwxd): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

