

**Series 6, American side by side,
178.7 x 90.8 cm, Brushed steel
anti-fingerprint, Total No Frost
KAG93AIEPG**



The NoFrost side-by-side fridge-freezer with indoor electronics: provides a modern door display

- **Ice dispenser:** Mains water connection to ensure ice cubes are always ready when you need them.
- **XXL capacity:** extra space for your food when you need it.
- **LED lighting:** all your items in perfect view.
- **VarioZone:** more flexibility due to variable-use glass shelves and drawers in the freezer compartment.
- **Super Cool function:** cools new food faster, to protect what is already inside.

Energy Efficiency Class: E
 Average annual energy consumption in kilowatt hour per year (kWh/a): 323 kWh/annum
 Sum of volume of frozen compartments: 191 l
 Sum of volume of chill compartments: 369 l
 Airborne acoustical noise emissions : 42 dB(A) re 1pW
 Airborne acoustical noise emission class: D
 Built-in / Free-standing: Freestanding
 Door panel options: Not possible
 Height: 1787 mm
 Width of the appliance: 908 mm
 Depth: 707 mm
 Net weight: 120.2 kg
 Connection rating: 240 W
 Fuse protection: 13 A
 Door hinge: left and right
 Voltage: 220-240 V
 Frequency: 50 Hz
 Length electrical supply cord: 200.0 cm
 Number of compressors: 1
 Number of independent cooling systems: 1
 Interior ventilator: No
 Reversible Door Hinge: No
 Number of Adjustable Shelves in fridge compartment: 0
 Shelves for Bottles: Yes
 EAN code: 4242005192267
 Brand: Bosch
 Product name / Commercial code: KAG93AIEPG
 Frost free system: Fridge and freezer
 Installation typology: Free-standing
 Included accessories: 1 x connection hose, 1 x egg tray



4 242005 192267

Series 6, American side by side, 178.7 x 90.8 cm, Brushed steel anti-fingerprint, Total No Frost KAG93AIEPG

The NoFrost side-by-side fridge-freezer with indoor electronics: provides a modern door display

- KAG93AIEPG
- No Frost, American-style fridge freezer
- High-door design Stainless Steel EasyClean

Functions

- Stainless Steel EasyClean doors and grey side panels
- Aluminium Vertical door handle
- Bright interior LED fridge light

Design features

- NO_FROST_NEU_BL, never have to defrost ever again
- In-door electronic LCD display of fridge and freezer temperatures
- Separate temperature control for cooling and freezing section
- Super Cooling: automatic deactivation
- SuperFreezing function with automatic deactivation
- Optical and accoustical

Ice and Water

- Illuminated water and ice dispenser
- Automatic ice cube maker
- Internal water filter

Design features

- MultiAirflow system - improves circulation of air around the fridge
- 5 safety glass shelves of which 0 are height adjustable
- 3 removable door storage compartments.

Freshness System

- 2 MultiBox drawers on rails - Transparent drawers with a corrugated bottom, ideal for storing fruits and vegetables.

Food freshness system

- 2 freezer drawers
- 3 door trays in the freezing compartment

Key features - Fridge section

- 4 height adjustable feet

Dimension and installation

- Dimensions: 178.7 cm H x 90.8 cm W x 70.7 cm D
- 220 - 240 V

Key features - Freezer section

- 1 x connection hose, 3 x egg tray

Included accessories

Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

Design features

Dimension and installation


Additional features

Performance and Consumption


- EU19_EEK_D: E
- Total Volume : 560 l
- Net Fridge Volume : 369 l
- Net Freezer Volume : 191 l
- Freezing capacity 24h : 12 kg
- Annual Energy Consumption: 323 kWh/a
- Climate Class: SN-T
- EU19_Fast freezer facility_D
- Noise Level : 42 dB , EU19_Noise emission class_D: D

**Series 6, American side by side,
178.7 x 90.8 cm, Brushed steel
anti-fingerprint, Total No Frost
KAG93AIEPG**

Measurements in mm



Measurements in mm




A	a	b
≤ 600	50	50
600 < A ≤ 650	50	50
650 < A ≤ 700	53	96
> 700	277	418

A: Kitchen cabinet or worktop depth

B: Wall
Drawers can be pulled out with door open to 90°

Drawers can be taken out with door completely opened

measurements in mm



Specifications

A	Front is adjustable from 1783 to 1792
B	Cabinet depth
C	Depth incl. door, without handle
D	Depth incl. door, with handle
E	Water connection to the appliance