

Series 4, Free-standing fridge-freezer with freezer at bottom, 185 x 60 cm, White, Total No Frost KGN34VW26G



The NoFrost bottom freezer with VitaFresh Box: saves you from defrosting - with separate compartment to keep fruits and vegetables fresh longer.

- **LED lighting:** all your items in perfect view.
- **Big Box drawer:** easily stack food containers and store larger items in your freezer.
- **Two cooling systems:** separately controllable fridge and freezer compartments
- **Door Open Alarm:** reminds you if the door is not closed properly.
- **Multi Airflow System:** even air distribution for longer freshness.

Technical Data

Built-in / Free-standing:	Freestanding
Door panel options:	Not possible
Height:	1850 mm
Width of the appliance:	600 mm
Depth:	650 mm
Net weight:	70.1 kg
EAN code:	4242002924427
Connection rating:	120 W
Fuse protection:	10 A
Door hinge:	Right reversible
Voltage:	220-240 V
Frequency:	50 Hz
Length electrical supply cord:	240 cm
Number of compressors:	1
Number of independent cooling systems:	2
Interior ventilator:	No
Reversible Door Hinge:	Yes
Number of Adjustable Shelves in fridge compartment:	1
Shelves for Bottles:	Yes
Frost free system:	Fridge and freezer
Installation typology:	Free-standing



¹ Scale of Energy Efficiency Classes from A to G

Series 4, Free-standing fridge-freezer with freezer at bottom, 185 x 60 cm, White, Total No Frost KGN34VW26G

The NoFrost bottom freezer with VitaFresh Box: saves you from defrosting - with separate compartment to keep fruits and vegetables fresh longer.

- Gross capacity cooling 191 l
- **** freezer (-18°C and below)
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Design features

Dimension and installation

Additional features

Performance and Consumption

- Energy Efficiency Class: A+
- Energy consumption: 293 kWh kWh/yr.
- Total net capacity: 277 l litres
- Noise level dB(A) re 1 pW: 42

Functions

- Plastic Vertical door handle
- Bright interior LED fridge light in fridge section

Design features

- NO_FROST_NEU_BL, never have to defrost ever again
- Freezer LED electronic control, Fridge manually adjustable
- SuperFreezing function with automatic deactivation

Design features

- Net fridge capacity: 184 litres
- MultiAirflow system - improves circulation of air around the fridge
- 4 safety glass shelves of which 1 are height adjustable
- 3 wave bottle holder
- 3 door bins

Freshness System

- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer

Food freshness system

- Net freezer capacity: 93 litres
- Freezing capacity in 24 hours: 10 kg
- Maximum freezer storage time in power failure: 14 hours
- 3 transparent freezer drawers, including 1 BigBox
- Calendar frozen food

Dimension and installation

- Dimensions: 185 cm H x 60 cm W x 65 cm D

Key features - Fridge section

- Right hinged door, door reversible
- Height adjustable front feet
- Climate class SN-T (suitable for ambient temperatures between 10 to 43°C)
- Connection value 120 W
- 220 - 240 V

Key features - Freezer section


- 3 x egg tray, 1 x ice cube tray

Included accessories

Country Specific Options

- Gross capacity, total: 318 l

Series 4, Free-standing fridge-freezer with freezer at bottom, 185 x 60 cm, White, Total No Frost KGN34VW26G



Appliance Name	a	b	c	d	e	f	g	h
KGN34/36 (int. handle)	1860	600	650	580	600	1195	650	690
KGN34/36 (ext. handle)	1860	600	650	580	640	1195	690	690
KGN39 (int. handle)	2010	600	650	580	600	1195	650	690
KGN39 (ext. handle)	2010	600	650	580	640	1195	690	690

Description	
a	Height
b	Width
c	Depth with closed door w/o handle and w/o flexible distance part
d	Depth of cabinet w/o flexible distance part
e	Width with open door (90°)
f	Depth with open door w/o handle w/o flexible distance part
g	Depth with closed door with handle and w/o flexible distance part
h	Depth with closed door w/o handle with flexible distance part

measurements in mm