

**Serie | 6, Free-standing fridge-freezer
with freezer at bottom, 204 x 60 cm,
Inox-easyclean
KGN39HIEP**



Optional accessories

KSZ39AL00 Connection set inox

**NoFrost bottomfreezer : no need to
defrost your freezer**

- **Home Connect:** home appliances with smart connectivity for an easier everyday life.
- **VitaFresh:** keeps food fresh for longer in climate controlled drawers at near 0°C.
- **Perfect Fit:** place your fridge right next to walls and other appliances to save space.
- **LED lights bring a completely new lighting concept to fridges**
- **Automatic super freezing: for freezing smaller food loads faster whilst protecting your frozen items from defrosting, thanks to the detection of temperature increase**

Technical Data

Energy Efficiency Class:	E
Average annual energy consumption in kilowatt hour per year (kWh/a):	238 kWh/annum
Sum of volume of frozen compartments:	89 l
Sum of volume of chill compartments:	279 l
Airborne acoustical noise emissions :	39 dB(A) re 1 pW
Airborne acoustical noise emission class:	C
Installation type:	Freestanding
Door panel options:	Not possible
Height:	2040 mm
Width of the appliance:	600 mm
Depth of the product:	660 mm
Net weight:	80.1 kg
Fuse protection:	10 A
Door hinge:	Right
Voltage:	220-240 V
Frequency:	50 Hz
Length of electrical supply cord:	240.0 cm
Number of compressors:	1
Number of independent cooling systems:	2
Interior ventilator:	No
Reversible Door Hinge:	No
Number of Adjustable Shelves in fridge compartment (Stck):	3
Shelves for Bottles:	Yes
Frost free system:	Fridge and freezer
Installation type:	Free-standing



Serie | 6, Free-standing fridge-freezer with freezer at bottom, 204 x 60 cm, Inox-easyclean KGN39HIEP

NoFrost bottomfreezer : no need to defrost your freezer

- Net Fridge Volume : 279 l
- Net Freezer Volume : 89 l
- Freezing capacity 24h : 10 kg
- Annual Energy Consumption: 238 kWh/a
- Climate Class: SN-T
- EU19_Fast freezer facility_D
- Noise Level : 39 dB , EU19_Noise emission class_D: C
- Temperature rise time : EU19_Temperature rise time_D: 13 H

Design features

- Wi-Fi connectivity
- Stainless Steel EasyClean doors and Pearl grey (VZF 07127) side panels
- Vertical door handle
- Right hinged door
- Electronic control (external in-door LCD display)

Food freshness system

- Two separate cooling circuits allow independent temperature control and prevents the transference of humidity between the fridge and freezer cavity

Key features - Fridge section

- 1 VitaFresh Plus drawer with humidity control. Fruit and vegetables retain vitamins and last longer.
- 2 VitaFresh plus 0°C drawers with temperature control on an Easy Access Drawer - Fish and meat stay fresh for longer
- MultiAirflow system - improves circulation of air around the fridge
- Bright interior LED fridge light
- 5 safety glass shelves (3 height adjustable)
- Door shelves in fridge door: 1 large and 2 small.
- Super Cooling: automatic deactivation
- Metal bottle rack

Key features - Freezer section

- No Frost, never have to defrost ever again
- 3 freezer drawers
- SuperFreeze function with automatic deactivation
- Calendar frozen food
- Freezer malfunction warning signal: optical and acoustical warning system

Additional features

- Optical and accoustical
- 3 x egg tray, 1 x ice cube tray

Dimension and installation


- Connection value 100 W
- 220 - 240 V
- Height adjustable front feet
- Dimensions: 204 cm H x 60 cm W x 66 cm D
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Performance and Consumption

- EU19_EEK_D: E
- Total Volume : 368 l


**Serie | 6, Free-standing fridge-freezer
with freezer at bottom, 204 x 60 cm,
Inox-easyclean
KGN39HIEP**

Appliance Name	a	b	c	d	e	f	g
KGN39/KGF39 (int. handle)	2030	600	660	590	600	1210	660
KGN39/KGF39 (ext. handle)	2030	600	660	590	640	1210	700



Specification
a Height
b Width
c Depth with door closed, without handle
d Cabinet depth
e Width with door opened to 90°
f Depth with door opened
g Depth with door closed, with handle


measurements in mm



Appliance name	A	B	C	D
KGN33, 36, 39, 46, 49	0/65	20	590	125
KGF39, 49	0/65	20	590	125

Dimension A:
In models with vertical integrated handles,
in order to open easily, a minimum distance
of 65 mm is needed.

measurements in mm



If the appliance is fitted directly to the wall,
all of the drawers can be pulled out fully.

* With and without external handle.