

**Series 4, Free-standing fridge-freezer
with freezer at bottom, 203 x 60 cm,
Stainless steel look
KGN39VL35G**



A++



**NoFrost bottomfreezer : no need to
defrost your freezer**

- **VitaFresh:** keeps food fresh for longer in climate-controlled drawers at around 0°C.
- **Perfect Fit:** place your fridge right next to walls or other appliances to save space.
- **LED lighting:** all your items in perfect view.
- **Easy Access Shelf:** a pull-out glass shelf for easier access to everything inside your fridge.
- **Two cooling systems:** separately controllable fridge and freezer compartments

Technical Data

Built-in / Free-standing:	Freestanding
Door panel options:	Not possible
Height:	2030 mm
Width of the appliance:	600 mm
Depth:	660 mm
Net weight:	80.0 kg
Connection rating:	100 W
Fuse protection:	10 A
Door hinge:	Right reversible
Voltage:	220-240 V
Frequency:	50 Hz
Length electrical supply cord:	240.0 cm
Number of compressors:	1
Number of independent cooling systems:	2
Interior ventilator:	No
Reversible Door Hinge:	Yes
Number of Adjustable Shelves in fridge compartment:	3
Shelves for Bottles:	No
Frost free system:	Fridge and freezer
Installation typology:	Free-standing



Series 4, Free-standing fridge-freezer with freezer at bottom, 203 x 60 cm, Stainless steel look KGN39VL35G

NoFrost bottomfreezer : no need to defrost your freezer

Performance and Consumption

- Energy consumption: 273 kWh kWh/yr.
- Total net capacity: 366 l litres
- Net fridge capacity: 279 litres
- Net freezer capacity: 87 litres
- Noise level dB(A) re 1 pW: 39

Design features

- Stainless steel look doors and chrome inox metallic side panels
- High-door design, Cambered door
- Indoor Separate, electronic temperature control with LED display
- Integrated vertical handle
- Right hinged door, door reversible
- Removable magnetic door seals - easy to clean

Food freshness system

- Capacity near 0°C section: 24 l
- MultiAirflow system - improves circulation of air around the fridge
- Two separate cooling circuits allow independent temperature control and prevents the transference of humidity between the fridge and freezer cavity

Key features - Fridge section

- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer
- 2 VitaFresh 0°C drawers with temperature control - Fish and meat stay fresh for longer
- MultiAirflow system - improves circulation of air around the fridge, ChillerBox - recommended storage area for meat and fish
- Bright interior LED fridge light
- 5 safety glass shelves in fridge compartment of which 3 are height adjustable
- Door shelves in fridge door: 1 large and 3 small.
- Super Cooling: automatic deactivation

Key features - Freezer section

- No Frost
- Automatic defrost freezer
- SuperFreeze function with automatic deactivation
- 3 freezer drawers
- 4 star freezer rating
- 1 ice cube tray
- Freezing capacity in 24 hours: 14 kg
- Maximum freezer storage time in power failure: 16 hours
- Freezer malfunction warning signal: optical and acoustical warning system

Included accessories

- 3 x egg tray, 1 x ice cube tray

Dimension and installation

- Climate class SN-T (suitable for ambient temperatures between 10 to 43°C)
- Connection value 100 W
- Height adjustable front feet
- Dimensions: 203 cm H x 60 cm W x 66 cm D
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.
- Energy Efficiency Class: A++
- Bright interior LED fridge light in fridge section
- NO_FROST_NEU_BL, never have to defrost ever again
- Separate, electronic temperature control with LED display
- Optical and acoustical
- 5 safety glass shelves (3 height adjustable)
- Gross capacity, total: 400 l
- Gross capacity cooling 290 l

**Series 4, Free-standing fridge-freezer
with freezer at bottom, 203 x 60 cm,
Stainless steel look
KGN39VL35G**

Appliance name	a	b	c	d	e	f	g	h
KGN39/KGF39 (Inner handle)	2030	600	660	590	600	1210	660	12
KGN39/KGF39 (Outer handle)	2030	600	660	590	640	1210	700	12

