

Series 4, Free-standing fridge-freezer with freezer at bottom, 193 x 70 cm, Inox-look KGN56XLEA



NoFrost bottomfreezer with VitaFresh and extra-large capacity: Keeps your fresh foods fresh longer.

- **NoFrost:** you'll never have to defrost your fridge-freezer again.
- **XXL capacity:** extra space for your food when you need it.
- **VitaFresh:** keeps food fresh for longer in climate controlled drawers at near 0°C.
- **Perfect Fit:** place your fridge right next to walls and other appliances to save space.
- LED lights bring a completely new lighting concept to fridges

Technical Data

Energy Efficiency Class: E

Average annual energy consumption in kilowatt hour per year (kWh/a): 262 kWh/annum

Sum of volume of frozen compartments: 108 l

Sum of volume of chill compartments: 400 l

Airborne acoustical noise emissions : 42 dB(A) re 1 pW

Airborne acoustical noise emission class: D

Construction type: Free-standing

Door panel options: Not possible

Height: 1930 mm

Width of the appliance: 700 mm

Depth of the product: 800 mm

Net weight: 96.9 kg

Connection rating: 100 W

Fuse protection: 10 A

Door hinge: Right reversible

Voltage: 220-240 V

Frequency: 50 Hz

Length of electrical supply cord: 240 cm

Number of compressors: 1

Number of independent cooling systems: 2

Interior ventilator: No

Reversible Door Hinge: Yes

Number of Adjustable Shelves in fridge compartment (Stck): 3

Shelves for Bottles: Yes

Installation type: N/A

Included accessories

- 3 x egg tray
- 1 x ice cube tray with lid
- 1 x bottle holder in door tray



Series 4, Free-standing fridge-freezer with freezer at bottom, 193 x 70 cm, Inox-look KGN56XLEA

NoFrost bottomfreezer with VitaFresh and extra-large capacity: Keeps your fresh foods fresh longer.

Functions

- Stainless steel look doors and Pearl grey (VZF 07127) side panels
- Integrated vertical handle
- Bright interior LED fridge light

Design features

- No Frost, never have to defrost ever again
- Separate, electronic temperature control with LED display
- Super Cooling: automatic deactivation
- Optical and accoustical
- Economy setting

Design features

- MultiAirflow system - improves circulation of air around the fridge
- 4 safety glass shelves of which 4 extendable glass shelves
- 4 door bins
- Metal bottle rack

Freshness System

- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer
- 2 VitaFresh ◀0°C▶ drawers with temperature control - Fish and meat stay fresh for longer

Food freshness system

- including 1 BigBox extra large drawer

Dimension and installation

- Dimensions: 193 cm H x 70 cm W x 80 cm D

Key features - Fridge section

- Right hinged door, door reversible
- Height adjustable front feet
- Connection value 100 W
- 220 - 240 V

Key features - Freezer section

- 3 x egg tray, 1 x ice cube tray, .

Included accessories

Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

Design features

Dimension and installation

Additional features


- Vario Zone - removable safety glass shelves for extra space!
- SuperFreeze function with automatic deactivation
- Two separate cooling circuits allow independent temperature control and prevents the transference of humidity between the fridge and freezer cavity
- Freezing possible in all freezer compartments

Performance and Consumption

- EU19_EEK_D: E
- Total Volume : 508 l
- Net Fridge Volume : 400 l
- Net Freezer Volume : 108 l
- Freezing capacity 24h : 11 kg
- Annual Energy Consumption: 262 kWh/a
- Climate Class: SN-T
- EU19_Fast freezer facility_D
- Noise Level : 42 dB , EU19_Noise emission class_D: D
- Temperature rise time : EU19_Temperature rise time_D: 22 H

Series 4, Free-standing fridge-freezer with freezer at bottom, 193 x 70 cm, Inox-look KGN56XLEA

Appliance name	a	b	c	d	e	f	g	h
KGN56 (Inner handle)	1930	700	800	720	700	1450	800	12
KGN56 (Outer handle)	1930	700	800	720	740	1450	840	12



Description
a Height
b Width
c Depth with door closed, without handle
d Cabinet depth
e Width with door opened to 90°
f Depth with door opened
g Depth with door closed, with handle
h Air gap for installation in recess or fitted cabinet

measurements in mm