

Series 4, Free-standing fridge-freezer with freezer at bottom, 176 x 60 cm, White KGV33UW30G



The bottom freezer with VitaFresh 0 °C Box: keeps your meat and fish fresher for longer

- **Energy efficiency class A++:** reduce energy consumption while enjoying optimal cooling performance.
- **VitaFresh reduces wastage by keeping food fresh for longer.**
- **Low Frost:** defrost less often thanks to reduced frost – saving time, effort and energy.
- **Big Box drawer:** easily stack food containers and store larger items in your freezer.
- **LED lighting:** all your items in perfect view.

Technical Data

Built-in / Free-standing:	Freestanding
Door panel options:	Not possible
Height:	1760 mm
Width of the appliance:	600 mm
Depth:	650 mm
Net weight:	69.4 kg
EAN code:	4242002800400
Connection rating:	90 W
Fuse protection:	10 A
Door hinge:	Right reversible
Voltage:	220-240 V
Frequency:	50 Hz
Length electrical supply cord:	240 cm
Number of compressors:	1
Number of independent cooling systems:	1
Interior ventilator:	No
Reversible Door Hinge:	Yes
Number of Adjustable Shelves in fridge compartment:	2
Shelves for Bottles:	No
Frost free system:	N/A
Installation typology:	Free-standing



Optional accessories

KSZ10010	Snackbox
KSZ10030	Bottle Rack

¹ Scale of Energy Efficiency Classes from A to G

Series 4, Free-standing fridge-freezer with freezer at bottom, 176 x 60 cm, White KGV33UW30G

- To achieve the declared energy consumption, the distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

The bottom freezer with VitaFresh 0 °C Box: keeps your meat and fish fresher for longer

Performance and Consumption

- Energy consumption: 219 kWh kWh/yr.
- Energy Efficiency Class: A++
- Total net capacity: 287 l litres
- Net fridge capacity: 193 litres
- Net freezer capacity: 94 litres
- Noise level dB(A) re 1 pW: 39

Design features

- Cambered door, High-door design White
- High-door design, Cambered door
- LED electronic control
- Integrated vertical handle
- Right hinged door, door reversible
- Removable magnetic door seals - easy to clean

Food freshness system

- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer
- 1 compressor

Key features - Fridge section

- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer
- Bright interior LED fridge light in fridge section
- 4 safety glass shelves in fridge compartment of which 2 are height adjustable
- Door shelves in fridge door: 1 large and 2 small.

Key features - Freezer section

- LowFrost - less ice creation and therefore quicker defrosting
- Manual defrost freezer
- Defrost water outlet - for easy and convenient defrosting
- 3 transparent freezer drawers, including 1 BigBox
- 4 star freezer rating
- Freezing capacity in 24 hours: 7 kg
- Maximum freezer storage time in power failure: 23 hours
- **** freezer (-18°C and below)


Included accessories

- 3 x egg tray, 1 x ice cube tray

Dimension and installation

- Climate class SN-T (suitable for ambient temperatures between 10 to 43°C)
- Connection value 90 W
- Height adjustable front feet
- Dimensions: 176 cm H x 60 cm W x 65 cm D
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

**Series 4, Free-standing fridge-freezer
with freezer at bottom, 176 x 60 cm,
White
KGV33UW30G**



Device name	a	b	c	d	e	f	g	h
KGV33 (inner handle)	1760	600	650	580	600	1200	650	690
KGV33 (outer handle)	1760	600	650	580	640	1200	690	690
KGV36/KGE36 (inner handle)	1860	600	650	580	600	1200	650	690
KGV36/KGE36 (outer handle)	1860	600	650	580	640	1200	690	690

Specification	
a	Height
b	Width
c	Depth with door closed, without handle and without flexible spacing piece
d	Cabinet depth without flexible spacing piece
e	Width with door opened to 90°
f	Depth with door opened, without handle and without flexible spacing piece
g	Depth with door closed, with handle and without flexible spacing piece
h	Depth with door closed, without handle and with flexible spacing piece

measurements in mm