

**Series 4, Free-standing fridge-freezer
with freezer at bottom, 176 x 60 cm,
Stainless steel look
KGV33VLEAG**



**The lowFrost bottom freezer with
VitaFresh Box: very efficient- keeps your
fruits and vegetables fresher for longer.**

- **VitaFresh:** vitamin rich fruit & vegetables stay fresh for longer in a climate controlled drawer.
- **Low Frost:** defrost less often thanks to reduced frost – saving time, effort and energy.
- **Big Box drawer:** easily stack food containers and store larger items in your freezer.
- **LED lighting:** all your items in perfect view.
- **Easy Access Shelf:** a pull-out glass shelf for easier access to everything inside your fridge.

Energy Efficiency Class: E
 Average annual energy consumption in kilowatt hour per year
 (kWh/a): 228 kWh/annum
 Sum of volume of frozen compartments: 94 l
 Sum of volume of chill compartments: 195 l
 Airborne acoustical noise emissions : 39 dB(A) re 1pW
 Airborne acoustical noise emission class: C
 Built-in / Free-standing: Freestanding
 Door panel options: Not possible
 Height: 1760 mm
 Width of the appliance: 600 mm
 Depth: 650 mm
 Net weight: 65.1 kg
 EAN code: 4242005237159
 Fuse protection: 10 A
 Door hinge: Right reversible
 Voltage: 220-240 V
 Frequency: 50 Hz
 Length electrical supply cord: 240.0 cm
 Number of compressors: 1
 Number of independent cooling systems: 1
 Interior ventilator: No
 Reversible Door Hinge: Yes
 Number of Adjustable Shelves in fridge compartment: 2
 Shelves for Bottles: No
 Frost free system: No
 Installation typology: Free-standing

KSZ10010 Snackbox
 KSZ10030 Bottle Rack



Series 4, Free-standing fridge-freezer with freezer at bottom, 176 x 60 cm, Stainless steel look KGV33VLEAG

The lowFrost bottom freezer with VitaFresh Box: very efficient- keeps your fruits and vegetables fresher for longer.

- Total Volume : 289 l
- Net Fridge Volume : 195 l
- Net Freezer Volume : 94 l
- Freezing capacity 24h : 4.5 kg
- Annual Energy Consumption: 228 kWh/a
- Climate Class: SN-T
- EU19_Fast freezer facility_D
- Noise Level : 39 dB , EU19_Noise emission class_D: C
- Temperature rise time : EU19_Temperature rise time_D: 17 H

-
- KGV33VLEAG
 - Fridge freezer
 - Cambered door, High-door design Stainless steel look

Functions

- Stainless steel look doors and Pearl grey (VZF 07127) side panels
- Plastic Integrated vertical handle
- Bright interior LED fridge light in fridge section

Design features

- LED electronic control
- SuperFreezing function with automatic deactivation

Design features

- 4 removable safety glass shelves of which 2 are easy pull out
- Automatic defrost fridge
- 3 door bins

Freshness System

- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer

Food freshness system

- LowFrost - less ice creation and therefore quicker defrosting
- VarioZone - adaptable storage for more flexibility
- 3 transparent freezer drawers, including 1 BigBox

Dimension and installation

- Dimensions: 176 cm H x 60 cm W x 65 cm D

Key features - Fridge section

- Right hinged door, door reversible
- Height adjustable front feet
- Defrost water outlet - for easy and convenient defrosting
- 220 - 240 V

Key features - Freezer section

- 3 x egg tray

Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Additional features


Design features

Dimension and installation

Performance and Consumption

- EU19_EEK_D: E

**Series 4, Free-standing fridge-freezer
with freezer at bottom, 176 x 60 cm,
Stainless steel look
KGV33VLEAG**



Device name	a	b	c	d	e	f	g	h
KGV33 (inner handle)	1760	600	650	580	600	1200	650	690
KGV33 (outer handle)	1760	600	650	580	640	1200	690	690
KGV36/KGE36 (inner handle)	1860	600	650	580	600	1200	650	690
KGV36/KGE36 (outer handle)	1860	600	650	580	640	1200	690	690

Specification	
a	Height
b	Width
c	Depth with door closed, without handle and without flexible spacing piece
d	Cabinet depth without flexible spacing piece
e	Width with door opened to 90°
f	Depth with door opened, without handle and without flexible spacing piece
g	Depth with door closed, with handle and without flexible spacing piece
h	Depth with door closed, without handle and with flexible spacing piece

measurements in mm