

**Serie | 4, Free-standing fridge-freezer with freezer at bottom, 201 x 60 cm, Inox-look KGV39VL31G**



**A++**

**The lowFrost bottom freezer with VitaFresh Box: very efficient- keeps your fruits and vegetables fresher for longer.**

- **VitaFresh:** keeps your food fresh for longer
- LED lights bring a completely new lighting concept to fridges
- **BigBox frozen food drawer:** for stacking storage containers or for large frozen food items.
- **EasyAccess Shelf:** pull-out glass shelf gives you better access to the contents of your fridge.
- **LowFrost:** defrost less often thanks to lower ice formation - saves work and is energy-efficient.

**Technical Data**

Construction type : Free-standing  
 Door panel options : Not possible  
 Width of the appliance : 600 mm  
 Depth of the product : 650 mm  
 Net weight : 77.259 kg  
 Connection rating : 90 W  
 Fuse protection : 10 A  
 Door hinge : Right reversible  
 Voltage : 220-240 V  
 Frequency : 50 Hz  
 Approval certificates : CE, VDE  
 Length of electrical supply cord : 240 cm  
 Storage Period in Event of Power Failure (h) : 23 h  
 Number of compressors : 1  
 Number of independent cooling systems : 1  
 Interior ventilator : No  
 Reversible Door Hinge : Yes  
 Number of Adjustable Shelves in fridge compartment (Stck) : 2  
 Shelves for Bottles : Yes  
 EAN code : 4242002798936  
 Brand : Bosch  
 Product name / Commercial code : KGV39VL31G  
 Energy consumption annual - NEW (2010/30/EC) : 237.00 kWh/annum  
 Refrigerator Net capacity - NEW (2010/30/EC) : 248 l  
 Freezer Net capacity - NEW (2010/30/EC) : 94 l  
 Frost free system : No  
 Freezing capacity) - NEW (2010/30/EC) : 7 kg/24h  
 Climate class : SN-T  
 Noise level : 39 dB(A) re 1 pW  
 Installation type : N/A



**Included accessories**

3 x egg tray  
 1 x ice cube tray with lid



## **Serie | 4, Free-standing fridge-freezer with freezer at bottom, 201 x 60 cm, Inox-look KGV39VL31G**

**The lowFrost bottom freezer with VitaFresh Box: very efficient- keeps your fruits and vegetables fresher for longer.**

---

### **Performance and Consumption**

- Energy consumption: 237 kWh kWh/yr.
- Total net capacity: 342 l litres
- Net fridge capacity: 248 litres
- Net freezer capacity: 94 litres
- Noise level dB(A) re 1 pW: 39

### **Design features**

- Stainless steel look doors and Pearl grey (VZF 07127) side panels
- High-door design, Cambered door
- LED electronic control
- Integrated vertical handle
- Right hinged door, door reversible
- Removable magnetic door seals - easy to clean

### **Food freshness system**

- 1 compressor

### **Key features - Fridge section**

- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer
- Bright interior LED fridge light
- 5 safety glass shelves in fridge compartment of which 2 are height adjustable
- Door shelves in fridge door: 1 large and 3 small.
- Metal bottle rack


### **Key features - Freezer section**

- Manual defrost freezer
- SuperFreezing function with automatic deactivation
- 3 transparent freezer drawers, including 1 BigBox
- 4 star freezer rating
- Freezing capacity in 24 hours: 7 kg
- Maximum freezer storage time in power failure: 23 hours

### **Dimension and installation**

- Climate class SN-T (suitable for ambient temperatures between 10 to 43°C)
- Connection value 90 W
- Height adjustable front feet
- Dimensions: 201 cm H x 60 cm W x 65 cm D
- LowFrost - less ice creation and therefore quicker defrosting

## Serie | 4, Free-standing fridge-freezer with freezer at bottom, 201 x 60 cm, Inox-look KGV39VL31G



Device name	a	b	c	d	e	f	g	h
KGV39N-GE39 (inner handle)	2010	600	650	580	600	1200	650	690
KGV39N-GE39 (outer handle)	2010	600	650	580	640	1200	650	690
KGE49 (inner handle)	2010	700	650	580	700	1300	650	690
KGE49 (outer handle)	2010	700	650	580	740	1300	650	690

Specification	
a	Height
b	Width
c	Depth with door closed, without handle and without flexible spacing piece
d	Cabinet depth without flexible spacing piece
e	Width with door opened to 90°
f	Depth with door opened, without handle and without flexible spacing piece
g	Depth with door closed, with handle and without flexible spacing piece
h	Depth with door closed, without handle and with flexible spacing piece

measurements in mm