

Serie | 8, Built-in fridge-freezer with freezer at bottom, 177.2 x 55.8 cm, flat hinge KIF87PF30















Included accessories

2 x cold accumulator 3 x egg tray 1 x ice cube tray with lid 1 x bottle holder in door tray

Built-in bottom freezer combination with VitaFresh pro: thanks to ideal storage conditions your food stays vitamin-rich and fresher for longer.

- VitaFresh pro 0°C: keeps fruit, vegetables, fish and meat fresh fresher for longer - thanks to 0°C technology and optimal humidity
- LED lights bring a completely new lighting concept to fridges
- VarioZone: more flexibility due to variable-use glass shelves and drawers in the freezer compartment.
- BigBox frozen food drawer: for stacking storage containers or for large frozen food items.
- EasyAccess Shelf: pull-out glass shelf gives you better access to the contents of your fridge.

Technical Data

Construction type : Built-in Door panel options : Not possible Width of the appliance: 558 mm Depth of the product : 545 mm

Required niche size for installation (HxWxD): 1775.0 x 560 x

550 mm

Net weight: 69.271 kg Connection rating: 90 W Fuse protection: 10 A Door hinge: Right reversible Voltage: 220-240 V

Frequency: 50 Hz

Approval certificates: CE, VDE

Length of electrical supply cord: 230 cm

Storage Period in Event of Power Failure (h): 26 h

Number of compressors: 1

Number of independent cooling systems: 2

Interior ventilator: No Reversible Door Hinge: Yes

Number of Adjustable Shelves in fridge compartment (Stck): 3

Shelves for Bottles: No EAN code: 4242005092956

Brand: Bosch

Product name / Commercial code: KIF87PF30

Energy consumption annual - NEW (2010/30/EC): 226.00 kWh/

annum

Refrigerator Net capacity - NEW (2010/30/EC) : 176 l Freezer Net capacity - NEW (2010/30/EC): 62 I

Frost free system: No

Freezing capacity) - NEW (2010/30/EC): 8 kg/24h

Climate class: SN-ST Noise level: 34 dB(A) re 1 pW Installation type : Full-integrated





Serie | 8, Built-in fridge-freezer with freezer at bottom, 177.2 x 55.8 cm, flat hinge KIF87PF30

Built-in bottom freezer combination with VitaFresh pro: thanks to ideal storage conditions your food stays vitamin-rich and fresher for longer.

Performance and Consumption

- Energy Efficiency Class: A++ kWh/yr: 0.618 kWh
- Total net capacity: 238 l litres
- Net fridge capacity: 176 litres
- Capacity near 0°C section: 56 I
- Net freezer capacity: 62 litres
- Noise level dB(A) re 1 pW: 34

Design features

- Manual defrost freezer
- Fixed hinge, softClosing door: No
- Right hinged door, door reversible
- Electronic control for fridge and freezer with LED display
- Removable magnetic door seals easy to clean

Food freshness system

- 1 VitaFresh pro 0°C drawer with humidity control fruits and vegetables stay vitamin-rich and fresher for longer.
- FreshSense Constant temperature control by intelligent sensor technology
- Two separate cooling circuits allow independent temperature control and prevents the transference of humidity between the fridge and freezer cavity

Key features - Fridge section

- Bright interior LED fridge light
- 4 safety glass shelves (3 height adjustable)
- 3 door trays, including 1x dairy compartment
- Super Cooling: automatic deactivation

Key features - Freezer section

- 4 star freezer rating
- 2 transparent freezer drawers, including 1 BigBox
- Freezing capacity in 24 hours: 8 kg
- Maximum freezer storage time in power failure: 26 hours
- Vario Zone removable safety glass shelves for extra space!
- **** freezer (-18°C and below)

Functions


- Freezer malfunction warning signal: optical and accoustical
- SuperFreezing function with automatic deactivation
- Optical and acoustical door open warning
- 2 x cold accumulator, 3 x egg tray, 1 x ice cube tray, .


Dimension and installation


- Connection value 90 W
- Dimensions: 177.2 cm H x 55.8 cm W x 54.5 cm D
- Niche Dimensions: 177.5 cm H x 56 cm W x 55 cm D
- Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C)



Serie | 8, Built-in fridge-freezer with freezer at bottom, 177.2 x 55.8 cm, flat hinge KIF87PF30








The specified unit door dimensions are valid for a door gap of 4 mm.

measurements in mm

measurements in mm Recommended gap dimensions for flat hinges



The gap dimensions recommended in the table must be adhered to in order to ensure that appliance doors do not collide with anything when they are opened, and to avoid causing damage to kitchen units.