

Series 4, Free-standing fridge, 176 x 60 cm, Stainless steel look KSV33VLEP



Optional accessories

KSZ10010	Snackbox
KSZ10030	Bottle Rack
KSZ39AL00	Connection set inox

The refrigerator with VitaFresh Box: cools very efficiently - thanks to the cooling compartment, your fruits and vegetables stay fresh longer.

- **LED Lighting:** all your items in perfect view.
- **Easy Access Shelf:** a pull-out glass shelf for easier access to everything inside your fridge.
- **Super Cool function:** cools new food faster, to protect what is already inside.
- **SuperCooling quickly chills food and beverages with a touch of a button**
- **VitaFresh reduces wastage by keeping food fresh for longer.**

Technical Data

Energy Efficiency Class ¹ : E
Average annual energy consumption in kilowatt hour per year (kWh/a): 113 kWh/annum
Sum of volume of frozen compartments: 0 l
Sum of volume of chill compartments: 324 l
Airborne acoustical noise emissions : 39 dB(A) re 1pW
Airborne acoustical noise emission class: C
Built-in / Free-standing: Freestanding
Door panel options: Not possible
Height: 1760 mm
Width of the appliance: 600 mm
Depth: 650 mm
Net weight: 58.2 kg
Fuse protection: 10 A
Door hinge: Left reversible
Voltage: 220-240 V
Frequency: 50 Hz
Length electrical supply cord: 230.0 cm
Number of compressors: 1
Number of independent cooling systems: 1
Interior ventilator: Yes
Reversible Door Hinge: Yes
Number of Adjustable Shelves in fridge compartment: 5
Shelves for Bottles: Yes
EAN code: 4242005205707
Brand: Bosch
Product name / Commercial code: KSV33VLEP
Product category: Refrigerator
Frost free system: Not applicable
Installation typology: Free-standing



4 242005 205707

¹ Scale of Energy Efficiency Classes from A to G

Series 4, Free-standing fridge, 176 x 60 cm, Stainless steel look KSV33VLEP

- Noise Level : 39 dB , EU19_Noise emission class_D: C

The refrigerator with VitaFresh Box: cools very efficiently - thanks to the cooling compartment, your fruits and vegetables stay fresh longer.

Functions

- Stainless steel look doors and Pearl grey (VZF 07127) side panels
- Vertical door handle
- Bright interior LED fridge light in fridge section

Design features

- LED electronic control
- Automatic defrost fridge
- Super Cooling: automatic deactivation

Design features

- Interior ventilator
- 7 removable safety glass shelves of which 5 are easy pull out
- Metal bottle rack
- 5 door bins

Freshness System

- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer

Key features - Fridge section

- Left hinged, door reversible
- Height adjustable front feet
- Door opening: No side clearance needed at all. Full access to all drawers, door opening angle 90°.
- 220 - 240 V

Dimension and installation

- Dimensions: 176 cm H x 60 cm W x 65 cm D

Key features - Freezer section

Design features

Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Dimension and installation

Additional features

Performance and Consumption



- EU19_EEK_D: E
- Total Volume : 324 l
- Net Fridge Volume : 324 l
- Net Freezer Volume : 0 l
- Annual Energy Consumption: 113 kWh/a
- Climate Class: SN-T
- EU19_Fast freezer facility_D

Series 4, Free-standing fridge, 176 x 60 cm, Stainless steel look KSV33VLEP

	a	b	c	d	e	f
KSW36, GSD36	187					
KSV36, KSF36, GSN36, GSV36	186					
KSV33, GSN33, GSV33	176	60	65	58	60	119.5
KSV29, GSN29, GSV29	161					
GSV24	146					
GSN51	161					
GSN54	176	70	78	70	70	142
GSN58	191					

- a Height
 b Width
 c Depth with closed door w/o handle and w/o distance part
 d Depth of cabinet w/o distance part
 e Width with open door w/o handle
 f Depth with open door w/o handle w/o distance part

measurements in cm



measurements in mm