Series 6, 82 x 60 cm, flat hinge KUR15AFF0G







1 x egg tray

KFZ10AX0 Door panel with decor frame
KSZGGM00 Butter box
KUZ20SX0 Attachment door, stainless steel

The built-under refrigerator with MultiBox: ideal storage location for your fresh fruits and vegetables.

• LED lighting: all your items in perfect view.

Energy Efficiency Class: F	-
Average annual energy consumption in kilowatt hour per year	
(kWh/a):114 kWh/annum	
Sum of volume of frozen compartments: 0 l	
Sum of volume of chill compartments:	l
Airborne acoustical noise emissions :	/
Airborne acoustical noise emission class:)
Built-in / Free-standing:Built-in	ı
Door panel options: Possible but accessory	,
Height: 820 mm	1
Width of the appliance:598 mm	1
Depth:548 mm	1
Min. required niche size for installation (HxWxD):820 x 600 x 550	
mm	
Net weight:34.0 kg	3
Connection rating:	1
Fuse protection:	١
Door hinge: Right reversible	3
Voltage:	/
Frequency: 50 Hz	7
Length electrical supply cord:	ı
Number of compressors:1	l
Number of independent cooling systems:	l
Interior ventilator:)
Reversible Door Hinge:Yes	3
Number of Adjustable Shelves in fridge compartment:	3
Shelves for Bottles:)
EAN code:4242005142859)
Brand: Bosch	ı
Product name / Commercial code:KUR15AFF0G	ì
Product category:Refrigerator	r
Frost free system:No)
Installation typology:Built-under	r
Included accessories: 1 x egg tray	/
• • • • • • • • • • • • • • • • • • • •	





Series 6, 82 x 60 cm, flat hinge KUR15AFF0G

The built-under refrigerator with MultiBox: ideal storage location for your fresh fruits and vegetables.

Functions

- Ventilation through plinth
- Easy clean interior

Design features

- Mechanical control
- 1 compressor
- Automatic defrost fridge

Design features

- 3 safety glass shelves in fridge compartment of which 3 are height adjustable
- 1 removable door storage compartments.
- Bottle holder in x-deep door tray
- Bright interior LED fridge light

Freshness System

Key features - Fridge section

- Right hinged door, door reversible
- Connection value 90 W
- 220 240 V

Dimension and installation

- Niche Dimensions: 82 cm H x 60 cm W x 55 cm D
- Dimensions: 82 cm H x 59.8 cm W x 54.8 cm D

Key features - Freezer section

- KUR15AFF0G

Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

Additional features


Performance and Consumption

- EU19_EEK_D: F
- Total Volume : 137 l
- Annual Energy Consumption: 114 kWh/a
- Climate Class: SN-ST
- EU19_Fast freezer facility_D
- Noise Level : 38 dB , EU19_Noise emission class_D: C




Series 6, 82 x 60 cm, flat hinge **KUR15AFF0G**

measurements in mm Recommended gap dimensions for flat hinges



F	R	X
16-19	0-3	2.5
20	0-1	3
	2-3	2.5
21	0-1	3
	2-3	2.5
22	0	4
	1	3.5
	2-3	3



Maximal permissible weight of the unit fronts

Fitted unit fronts that exceed the permissible weight may cause damage and result in functional impairment of the hinges Δ Weight Δ : Appliance door height including hinges in mm


B: Undamped hinge, unit front in kg

C: Damped hinge, unit front in kg

D: Additional possible load in kg with heavy load kit

Α	В	C	D
1500-1750	22	22	
720-1400	19	19	B+5 / C+5
A1	15	19	B+3 / C+3
Δ2	15	10	1

The gap dimensions recommended in the table must be adhered to in order to ensure that appliance doors do not collide with anything when they are opened, and to avoid causing damage to kitchen units.



Space for electrical connection next to the appliance on the left or right-hand side. Ventilation space in the base.

Measurements in mm

