

**Series 2, Gas hob, 60 cm, Stainless steel
NGU4151DB**



Gas hob with side-mounted controls: the desired cooking zones can be conveniently operated from the side.

- Ergonomic control knobs with raised center for precise adjustments.
- Surface colour: elegant stainless-steel design.
- Low profile stainless steel cooking surface is easily accessible and quick to clean.
- The seamless, one-piece stainless steel design makes cleaning simple
- Four powerful gas burners allow you to cook multiple dishes with a full range BTU performance.

Technical Data

Appliance type: gas hob w integrated controls
 Installation type: Built-in
 Heating type: Gas
 Number of cooking zones: 4
 Type of control setting devices: sword knobs
 Min. required niche size for installation (HxWxD): 33 x 560-560 x 490-490 mm
 Width of the appliance: 580 mm
 Dimensions: 47 x 580 x 510 mm
 Dimensions of the packed product (HxWxD): 135 x 630 x 630 mm
 Net weight: 8.4 kg
 Gross weight: 9.0 kg
 Residual heat indicator: without
 Location of control panel: Lateral
 Basic surface material: Stainless steel
 Color of surface: Stainless steel
 Length of electrical supply cord: 100.0 cm
 EAN code: 4242002531816
 Gas connection rating: 7400 W
 Fuse protection: 3 A
 Voltage: 220-240 V
 Frequency: 50; 60 Hz





**Series 2, Gas hob, 60 cm, Stainless steel
NGU4151DB**

Gas hob with side-mounted controls: the desired cooking zones can be conveniently operated from the side.

Design

- 580 mm
- Side controls
- Brushed steel base

Features

- Variable power levels
- Ignition via control dials
- Flame failure safety device
- enamelled pan supports
- 2 piece burners

Performance/technical information

- 4 gas burners
- 1 high speed burner, 2 standard burners and 1 economy burner
- Front left: high-speed burner - 3 kW
- Rear left: standard burner - 1.7 KW
- Front right: economy burner - 1 kW
- Rear right: standard burner - 1.7 KW
- Pre-set for natural gas

Standard accessory

- LPG jets included. Connection to 28-30/37 mbar bottled gas

Series 2, Gas hob, 60 cm, Stainless steel
NGU4151DB

