


### Serie | 4, Induction hob, 80 cm, Black PIE845BB1E





#### **Optional accessories** HEZ9SE030 : Set of 2 pots and 1 pan

# The Induction hob: Faster than gas and ceramic hobs, induction is easier to clean and more energy efficient.

- **TouchSelect:** Selection of the desired cooking zone and easy setting of the desired power level.
- **Steel frame:** the flat stainless steel frame around the hob is perfect for integrating into existing countertop cutouts.
- PowerBoost: Up to 50% more power for faster heating.
- **QuickStart:** start straight away and select the desired cooking level.
- If you turn off the cooktop it saves the last selected setting for a short time. If the cooktop is switched off within a short time again the former settings are still available.

#### **Technical Data**

Product name/family : Construction type : Energy input : Total number of positions that can be us	Cooking zone ceramic Built-in Electric
Required niche size for installation (Hx)	
···· ···· · · · · · · · · · · · ·	55 x 780-780 x 500-500
Width of the appliance :	795
Dimensions :	55 x 795 x 517
Dimensions of the packed product (HxWxD) (mm) :	
	126 x 953 x 603
Net weight (kg) :	15.376
Gross weight (kg) :	17.0
Residual heat indicator :	Separate
Location of control panel :	Hob front
Basic surface material :	Ceramic
Color of surface :	Black, Stainless steel
Color of frame :	Stainless steel
Approval certificates :	AENOR, CE
Length of electrical supply cord (cm) :	110
EAN code :	4242002838847
Electrical connection rating (W) :	7400
Voltage (V) :	220-240
Frequency (Hz) :	50; 60





Serie | 4, Induction hob, 80 cm, Black PIE845BB1E

The Induction hob: Faster than gas and ceramic hobs, induction is easier to clean and more energy efficient.

#### **Special features**

- 4 induction cooking zones
- TouchControl
- Digital display, red
- Variable 17-stage power settings for each zone
- Timer for all zones Timer - shows how long the cooktop is in use
- HighSpeed ceramic glass, Zone 28cm double printing
- Automatic pan recognition sensor Automatic safety shut off Control panel lock
- QuickStart function
- ReStart function
- Cable included
- Connection cable 110 cm
- Connected load: 7.4 KW

#### Power and size

- Min. worktop thickness: 16 mm

#### Safety Features


- 2 stage residual heat indicator for each zone
- Main on/off switch
- PerfectFry sensor with 5 temperature settings


#### Quickness

- PowerBoost function for all zones



## Serie | 4, Induction hob, 80 cm, Black PIE845BB1E





① Ventilation gap must be present

All measurements in mm