


**Series 2, Electric hob, 60 cm  
PKE611CA1E**



**Optional accessories**

HEZ9SE030 : Set of 2 pots and 1 pan

**Dual rings, tough and easy-to-clean glass surfaces and good looks make ceramic hobs a smart addition to your home.**

- Side control dials for easy power level selection.
- Ceramic glass is much more slim and durable with better vertical conduction.
- Precise Temperature Control for Better Cooking Results
- Residual Heat Indicator - Warns if Cooktop is Warm or Hot

**Technical Data**

Product name/family : Cooking zone ceramic

Construction type : Built-in

Energy input : Electric

Total number of positions that can be used at the same time : 4

Min. required niche size for installation (HxWxD) : 46 x 560-560 x 490-500 mm

Width of the appliance : 592 mm

Dimensions : 46 x 592 x 522 mm

Dimensions of the packed product (HxWxD) : 100 x 750 x 590 mm

Net weight : 7.5 kg

Gross weight : 8.3 kg

Residual heat indicator : Separate

Location of control panel : Hob lateral

Basic surface material : Ceramic

Color of surface : Black

EAN code : 4242002936406

Voltage : 220-240 V

Frequency : 60; 50 Hz



4 242002 936406

## Series 2, Electric hob, 60 cm PKE611CA1E

**Dual rings, tough and easy-to-clean glass surfaces and good looks make ceramic hobs a smart addition to your home.**

---

### **Design**

- 592 mm
- Frameless design

### **Special features**

- Front mounted controls
- Sword knobs
- 4 zone Quick-Therm hob
- Variable 9-stage power settings for each zone

### **Safety Features**

- Residual heat indicator for each zone

### **Technical information**


- Appliance dimensions: (W/D) 592 mm x 522 mm
- Installation dimensions: (ID/W/D) 46 mm x 560 mm x 490 mm
- Min. worktop thickness: 16 mm

### **Power and size**

- Total connected load: 6600 W
- Cooking zones: 1 x Ø 145 mm, 1.2 KW; 1 x Ø 210 mm, 2.2 KW;  
1 x Ø 180 mm, 2 KW; 1 x Ø 180 mm, 2 KW

## Series 2, Electric hob, 60 cm PKE611CA1E

measurements in mm



- A:** Minimum distance from the hob cut-out to the wall.  
**B:** Recessed depth  
**C:** With fitted oven underneath min. 20, possibly more; see space requirements for the oven.