


Serie | 2, Electric hob, 60 cm, White PKE652CA1E





Optional accessories

HEZ9SE030 : Set of 2 pots and 1 pan

Dual rings, tough and easy-to-clean glass surfaces and good looks make ceramic hobs a smart addition to your home.

- Side control dials for easy power level selection.
- **U-Bevel:** Elegant, appealing design with bevelled front and sides.
- Ceramic glass is much more slim and durable with better vertical conduction.
- Precise Temperature Control for Better Cooking Results
- Residual Heat Indicator Warns if Cooktop is Warm or Hot

Technical Data

Product name/family: Cooking zone ceramic Construction type: Built-in Energy input: Electric

Total number of positions that can be used at the same time: 4

Required niche size for installation (HxWxD):

46 x 560-560 x 490-500

Width of the appliance : 592

Dimensions : $46 \times 592 \times 522$

Dimensions of the packed product (HxWxD) (mm):

100 x 750 x 590

Net weight (kg): 7.560 Gross weight (kg): 8.4 Residual heat indicator: Separate Location of control panel: right Basic surface material: Ceramic Color of surface: White Approval certificates: CE, Eurasian, Ukraine, VDE EAN code: 4242005058310 Electrical connection rating (W): 6600 Voltage (V): 220-240 Frequency (Hz): 50; 60





Serie | 2, Electric hob, 60 cm, White PKE652CA1E

Dual rings, tough and easy-to-clean glass surfaces and good looks make ceramic hobs a smart addition to your home.

Design

Special features

- 4 zone Quick-Therm hob
- Front mounted controls
- Sword knobs

Power and size

- Cooking zones: 1 x Ø 145 mm, 1.2 KW; 1 x Ø 210 mm, 2.2 KW; 1 x Ø 180 mm, 2 KW; 1 x Ø 180 mm, 2 KW
- Variable 9-stage power settings for each zone

Safety Features

- Residual heat indicator for each zone


Technical information

- Appliance dimensions: (W/D) 592 mm x 522 mm
- Installation dimensions: (ID/W/D) 46 mm x 560 mm x 490 mm
- Min. worktop thickness: 16 mm
- Total connected load: 6600 W



Serie | 2, Electric hob, 60 cm, White PKE652CA1E

measurements in mm



- A: Minimum distance from the hob cut-out to the wall.
 B: Recessed depth
 C: With fitted oven underneath min. 20, possibly more; see space requirements for the oven.