

# Series 2, Gas hob, 60 cm, Tempered glass, Black POP6B6B80



# **Optional accessories**

HEZ298114 Small pot support HEZ298105 Simmer plate

# Gas hob with side-mounted controls: the desired cooking zones can be conveniently operated from the side.

- Continuous steel pan supports: for maximum stability.
- Ergonomic control knobs with raised center for precise adjustments.
- Surface colour: elegant black tempered-glass design.
- Tempered Glass: for strength and aesthetic.
- Stainless steel cooking surface: easily accessible and quick to clean.

## Technical Data

Appliance type: gas hob w integrated controls
Built-in / Free-standing:Built-in
Heating type:Gas
Number of cooking zones:4
Type of control setting devices:sword knobs
Required niche size for installation (HxWxD): 45 x 560-562 x 480-492
mm
Width of the appliance:
Dimensions:
Dimensions of the packed product (HxWxD): 141 x 651 x 578 mm
Net weight:8.8 kg
Gross weight:
Residual heat indicator: without
Location of control panel:Lateral
Basic surface material: Tempered glass
Color of surface:Black
Color of frame:Black
Length electrical supply cord:
EAN code:
Gas connection rating:7400 W
Fuse protection:
Voltage:
Frequency:





Series 2, Gas hob, 60 cm, Tempered glass, Black POP6B6B80

Gas hob with side-mounted controls: the desired cooking zones can be conveniently operated from the side.

#### Design

- 590 mm

- Side controls

#### Features

- Ignition via control dials
- Flame failure safety device
- enamelled pan supports
- 2 piece burners

# Performance/technical information

- Front left: high-speed burner 3 kW
- Rear left: standard burner 1.7 KW
- Rear right: standard burner 1.7 KW
- Front right: economy burner 1 kW
- Power cord length 100 cm
- Pre-set for natural gas

## Standard accessory

- LPG jets included. Connection to 28-30/37 mbar bottled gas



# Series 2, Gas hob, 60 cm, Tempered glass, Black POP6B6B80



A: Min. distance from the hob cut-out to the wall

 $\ensuremath{\textbf{B}}\xspace$  : Position of gas connection in the cut-out

C: With fitted oven underneath possibly more; see space requirements for the oven