BOSCH

Serie | 2, Gas hob, 60 cm, Tempered glass
POP6B6B80

Gas hob with side-mounted controls: the desired cooking zones can be conveniently operated from the side.

- **Continuous steel pan supports:** for maximum stability.
- Ergonomic control knobs with raised center for precise adjustments.
- **Surface colour:** elegant black tempered-glass design.
- **Tempered Glass:** for strength and aesthetic.
- **Stainless steel cooking surface:** easily accessible and quick to clean.

Technical Data

Product name/family :	gas hob w integrated controls
Construction type :	Built-in
Energy input :	Gas
Total number of positions that can be used at the same time :	4
Type of control setting devices :	sword knobs
Required niche size for installation (HxWxD) :	45 x 560-562 x 480-492
Width of the appliance :	590
Dimensions :	45 x 590 x 520
Dimensions of the packed product (HxWxD) (mm) :	141 x 651 x 578
Net weight (kg) :	8.795
Gross weight (kg) :	9.7
Residual heat indicator :	without
Location of control panel :	right
Basic surface material :	Tempered glass
Color of surface :	Black
Color of frame :	Black
Approval certificates :	CE, Eurasian, Ukraine
Length of electrical supply cord (cm) :	100
EAN code :	4242002834313
Electrical connection rating (W) :	1
Gas connection rating (W) :	7400
Current (A) :	3
Voltage (V) :	220-240
Frequency (Hz) :	60; 50

4 242002 834313

Serie | 2, Gas hob, 60 cm, Tempered glass
POP6B6B80

Gas hob with side-mounted controls: the desired cooking zones can be conveniently operated from the side.

Design

- 590 mm
- Side controls

Features

- Ignition via control dials
- Flame failure safety device
- enamelled pan supports
- 2 piece burners

Performance/technical information

- Front left: high-speed burner - 3 kW
- Rear left: standard burner - 1.7 KW
- Rear right: standard burner - 1.7 KW
- Front right: economy burner - 1 kW
- Power cord length 100 cm
- Pre-set for natural gas

Standard accessory

- LPG jets included. Connection to 28-30/37 mbar bottled gas

Serie | 2, Gas hob, 60 cm, Tempered glass
POP6B6B80

520 590 58

45 17

55 **

17-27

560^{+2}_{-0}

*min. 100 $480-490^{+2}_{-0}$

min. 50

min. 600

***min. 30

* Minimum distance from the hob cut-out to the wall

** Position of gas connection in the cut-out

*** With fitted oven underneath, possibly more; see space requirements for the oven

measurements in mm