

## Series 4, Fully-integrated dishwasher, 60 cm, Variable hinge SMH4HVX32G



A ↑ G E



SGZ1010	inlet and outlet hose extention
SGZ8BI00	Connection rail for divided furniture
SMZ1051EU	Mains cable with EU-Plug 5m
SMZ2056	Attachment door, stainless steel
SMZ5003	Retractable hinge f. high corpus dimens.
SMZ5100	Vario-cutlery basket
SMZ5300	GlassSecure Tray

**Flexible loading and smart remote control of your VarioHinge dishwasher via the Home Connect app. VarioHinge the perfect solution for installations with low plinth heights and high built-in situations.**

- **Home Connect:** home appliances with smart connectivity for an easier everyday life.
- **A perfect design match thanks to Vario Hinge.** Leaving no gaps even in kitchens with low plinth heights and high built-in solutions.
- **Extra Dry:** extra drying option for difficult-to-dry loads.
- **Vario Drawer:** 3rd level loading for cutlery and smaller kitchen utensils.
- **InfoLight:** a red light on the floor indicates whether the dishwasher is switched on or off.

Energy Efficiency Class: ..... E  
 Energy Consumption for 100 cycles Eco Programme: ..... 94 kWh  
 Maximum number of place settings: ..... 13  
 The water consumption of the eco programme in liters per cycle: 9.5 l

Programme duration: ..... 3:45 h  
 Airborne acoustical noise emissions : ..... 46 dB(A) re 1pW  
 Airborne acoustical noise emission class: ..... C  
 Built-in / Free-standing: ..... Built-in  
 Height of removable worktop: ..... 0 mm  
 Dimensions of the product (HxWxD): ..... 815 x 598 x 550 mm  
 Required niche size for installation (HxWxD): .... 815-875 x 600 x 550 mm  
 Depth with open door 90 degree: ..... 1150 mm  
 Adjustable feet: ..... Yes - all from front  
 Maximum adjustability feet: ..... 60 mm  
 Adjustable plinth: ..... Both horizontal and vertical  
 Net weight: ..... 36.9 kg  
 Gross weight: ..... 39.1 kg  
 Connection rating: ..... 2400 W  
 Fuse protection: ..... 10 A  
 Voltage: ..... 220-240 V  
 Frequency: ..... 50; 60 Hz  
 Length electrical supply cord: ..... 175.0 cm  
 Plug type: ..... GB plug  
 Length inlet hose: ..... 165 cm  
 Length outlet hose: ..... 190 cm  
 EAN code: ..... 4242005275038  
 Installation typology: ..... Integrated



4 242005 275038

## **Series 4, Fully-integrated dishwasher, 60 cm, Variable hinge SMH4HVX32G**

**Flexible loading and smart remote control  
of your VarioHinge dishwasher via the  
Home Connect app. VarioHinge the perfect  
solution for installations with low plinth  
heights and high built-in situations.**

- VarioHinge 50mm

### **Performance**

- Energy Efficiency Class<sup>1</sup>: E
- Energy<sup>2</sup> / Water<sup>3</sup>: 94 kWh / 9.5 litres
- Capacity: 13 place settings
- Programme duration<sup>4</sup>: 3:45 (h:min)
- Noise level: 46 dB(A) re 1 pW
- Noise Efficiency Class: C

### **Programmes / functions**

- 6 programmes: Eco 50 °C, Auto 45-65 °C , Intensive 70 °C, Express 65° , Glass 40 °C , Favourite
- Default favourite programme: Pre-Rinse
- 4 special options: Remote Start, Extra Dry, Hygiene+, SpeedPerfect+
- Machine Care
- Silence on Demand (via app)

### **Flexible design elements**

- Vario Flex baskets
- VarioDrawer - loading of cutlery on 3rd level
- 3 stage Rackmatic height-adjustable top basket
- Low friction wheels on bottom basket
- Rack Stopper to prevent derailing of bottom basket
- 2 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- Upper rack cup shelf

### **Innovations and technology**

- Home Connect ready on WLAN
- Heat exchanger.
- DosageAssist detergent dispenser
- EcoSilence BLDC drive
- Automatic detergent detection
- AquaSensor III
- AquaMix - Glass protection system

### **Design features**

- Push button top edge controls
- InfoLight (Red) - Light projection on the floor
- Acoustic end of cycle indicator, Time remaining indicator (min), water inlet indicator
- Time delay (3, 6 or 24 hours)
- AquaStop: Bosch's warranty in case of water damage - for the lifetime of the appliance. Please find warranty terms under <https://www.bosch-home.co.uk/customer-service/care-protection-and-parts/additional-warranties>

- Self-cleaning filter system with 3 piece corrugated filter
- Large item spray head, incl. Steam protection for worktop
- Stainless steel/Polinox interior
- Dimensions (HxWxD): 81.5 x 59.8 x 55cm

<sup>1</sup> Scale of Energy Efficiency Classes from A to G

<sup>2</sup> Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)

<sup>3</sup> Water consumption in litres per cycle (in programme Eco 50 °C)

<sup>4</sup> Duration of programme Eco 50 °C



BOSCH


## Series 4, Fully-integrated dishwasher, 60 cm, Variable hinge SMH4HVX32G

measurements in mm



socket

( ) values with extension kit



measurements in mm