

Series 4, Free-standing dishwasher, 60 cm, White SMS4HDW52G



Optional accessories

| | |
|----------|-------------------------------------|
| SGZ0IC00 | Small Item Clip for upper rack |
| SGZ1010 | inlet and outlet hose extension |
| SMZ2014 | Rack insert for stemware dishwasher |
| SMZ5001 | Baby care kit |
| SMZ5002 | Silver polishing cassette |
| SMZ5300 | GlassSecure Tray |

Connected dishwasher with Extra Space 3rd Basket for all your difficult to place items.

- **Home Connect:** home appliances with smart connectivity for an easier everyday life.
- **ExtraDry:** extra drying option for difficult-to-dry loads.
- **Max Flex baskets:** flexible and stable loading for your dishes, with superior sliding performance.
- **Extra Space 3rd Basket:** extra cutlery drawer for more loading options.
- **Extra Clean Zone:** extra cleaning for items in your top basket.

Technical Data

| | |
|---|--|
| Energy Efficiency Class: |D |
| Energy Consumption for 100 cycles Eco Programme: | 84 kWh |
| Maximum number of place settings: | 13 |
| The water consumption of the eco programme in liters per cycle: | 9.5 l |
| Programme duration: | 4:55 h |
| Airborne acoustical noise emissions : |44 dB(A) re 1 pW |
| Airborne acoustical noise emission class: |B |
| Installation type: |Freestanding |
| Height of removable worktop: | 30 mm |
| Dimensions of the product (HxWxD): |845 x 600 x 600 mm |
| Depth with open door 90 degree: | 1155 mm |
| Adjustable feet: | Yes - all |
| Maximum adjustability feet: | 20 mm |
| Adjustable plinth: | No |
| Net weight: |53.1 kg |
| Gross weight: | 55.0 kg |
| Connection rating: | 2400 W |
| Fuse protection: |10 A |
| Voltage: | 220-240 V |
| Frequency: | 50; 60 Hz |
| Length of electrical supply cord: | 175.0 cm |
| Plug type: |GB plug |
| Length inlet hose: | 165 cm |
| Length outlet hose: | 190 cm |
| EAN code: |4242005270262 |
| Installation type: |Free-standing with built-in possibility |



4 242005 270262

Series 4, Free-standing dishwasher, 60 cm, White SMS4HDW52G

Connected dishwasher with Extra Space 3rd Basket for all your difficult to place items.

- Large item spray head
- Stainless steel interior
- Dimensions (HxWxD): 84.5 x 60 x 60cm

¹ Scale of Energy Efficiency Classes from A to G

² Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)

³ Water consumption in litres per cycle (in programme Eco 50 °C)

⁴ Duration of programme Eco 50 °C

New for 2021

Performance

- Energy Efficiency Class¹: D
- Energy² / Water³: 84 kWh / 9.5 litres
- Capacity: 13 place settings
- Programme duration⁴: 4:55 (h:min)
- Noise level: 44 dB(A) re 1 pW
- Noise Efficiency Class: B
- Noise level (silence programme): 41 dB(A) re 1 pW

Programmes / functions

- 6 programmes: Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65°, Silence 50 °C, Favourite
- Default favourite programme: Pre-Rinse
- 4 special options: Remote Start, Extra Dry, Half Load, SpeedPerfect+
- Machine Care
- Silence on Demand (via app)

Flexible design elements

- Max Flex baskets Basket system with red coloured touchpoints
- Extra Space 3rd Basket
- 2 stage Rackmatic height-adjustable top basket
- Smooth running wheels on upper basket
- Low friction wheels on bottom basket
- Anti-slip protection strips in upper basket
- Rack Stopper to prevent derailing of bottom basket
- 2 foldable plate racks in top basket
- 6 foldable plate racks in bottom basket
- Removable knife shelf in 3rd basket
- Moveable cutlery basket in lower rack
- Upper rack cup shelf
- Lower rack cup shelf

Innovations and technology


- Home Connect ready on WLAN
- Extra Clean Zone
- Heat exchanger.
- DosageAssist detergent dispenser
- EcoSilence BLDC drive
- Automatic detergent detection
- AquaMix - Glass protection system

Design features

- Time delay (3, 6 or 24 hours)
- Remaining programme time indicator (min)
- Tamperproof controls
- Leak protection system
- Self-cleaning filter system with 3 piece corrugated filter

Series 4, Free-standing dishwasher, 60 cm, White SMS4HDW52G

measurements in mm



⌚ socket
() values with extension kit