

**Serie | 2, Fully-integrated dishwasher,  
60 cm  
SMV2HAX02G**



**Optional accessories**

SGZ1010 : inlet and outlet hose extention  
 SMZ5005 : Compensating + fixing kit, stainl. steel  
 SMZ5035 : Decor conversion kit, stainless steel  
 SMZ5300 : GlassSecure Tray

**Easy loading of dishes and management of your dishwasher via the Home Connect app.**

- **Home Connect:** home appliances with smart connectivity for an easier everyday life.
- **ExtraDry:** extra drying option for difficult-to-dry loads.
- **Flex baskets:** flexible and practical solution for easy loading.
- **InfoLight:** a red infolight on the floor indicates whether the dishwasher is switched on or off.
- **Silence on demand:** up to 30 min noise reduction at any time via the Home Connect App.

**Technical Data**

Energy Efficiency Class: D  
 Energy Consumption for 100 cycles Eco Programme: 84 kWh  
 Maximum number of place settings: 13  
 The water consumption of the eco programme in liters per cycle: 9.5 l  
 Programme duration: 4:55 h  
 Airborne acoustical noise emissions : 48 dB(A) re 1 pW  
 Airborne acoustical noise emission class: C  
 Construction type: Built-in  
 Height of removable worktop: 0 mm  
 Dimensions of the product (HxWxD): 815 x 598 x 550 mm  
 Required niche size for installation (HxWxD): 815-875 x 600 x 550 mm  
 Approval certificates: CE, VDE  
 Depth with open door 90 degree: 1150 mm  
 Adjustable feet: Yes - all from front  
 Maximum adjustability feet: 60 mm  
 Adjustable plinth: both horizontal and vertical  
 Net weight: 33.7 kg  
 Gross weight: 36.0 kg  
 Connection rating: 2400 W  
 Fuse protection: 10 A  
 Voltage: 220-240 V  
 Frequency: 50; 60 Hz  
 Length of electrical supply cord: 175 cm  
 Plug type: GB plug  
 Length inlet hose: 165 cm  
 Length outlet hose: 190 cm  
 EAN code: 4242005270330  
 Installation type: Full-integrated



## Serie | 2, Fully-integrated dishwasher, 60 cm SMV2HAX02G

### Easy loading of dishes and management of your dishwasher via the Home Connect app.

#### New for 2021

#### Performance

- Energy Efficiency Class<sup>1</sup>: D
- Energy<sup>2</sup> / Water<sup>3</sup>: 84 kWh / 9.5 litres
- Capacity: 13 place settings
- Programme duration<sup>4</sup>: 4:55 (h:min)
- Noise level: 48 dB(A) re 1 pW
- Noise Efficiency Class: C

#### Programmes / functions

- 5 programmes: Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65°, Favourite
- Default favourite programme: Pre-Rinse
- 4 special options: Remote Start, Extra Dry, Half Load, SpeedPerfect+
- Machine Care
- Silence on Demand (via app)

#### Flexible design elements

- Flex basket system
- 3 stage Rackmatic height-adjustable top basket
- Low friction wheels on bottom basket
- Rack Stopper to prevent derailing of bottom basket
- 2 foldable plate racks in top basket
- 2 foldable plate racks in bottom basket
- Knife rack in top basket
- Moveable cutlery basket in lower rack
- Upper rack cup shelf

#### Innovations and technology


- Home Connect ready on WLAN
- Heat exchanger.
- DosageAssist detergent dispenser
- EcoSilence BLDC drive
- Automatic detergent detection
- Aqua and loading sensor
- AquaMix - Glass protection system

#### Design features


- Push button top edge controls
- InfoLight (Red) - Light projection on the floor
- Time delay (3, 6 or 9 hours)
- AquaStop: Bosch's warranty in case of water damage - for the lifetime of the appliance. Please find warranty terms under <https://www.bosch-home.co.uk/customer-service/care-protection-and-parts/additional-warranties>
- Self-cleaning filter system with 3 piece corrugated filter
- Large item spray head, steam protection plate
- Stainless steel interior
- Dimensions (HxWxD): 81.5 x 59.8 x 55cm
- <sup>1</sup> Scale of Energy Efficiency Classes from A to G
- <sup>2</sup> Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)
- <sup>3</sup> Water consumption in litres per cycle (in programme Eco 50 °C)
- <sup>4</sup> Duration of programme Eco 50 °C

## Serie | 2, Fully-integrated dishwasher, 60 cm SMV2HAX02G

measurements in mm



⌚ socket  
( ) values with extension kit



measurements in mm