

**Series 4, Free-standing dishwasher,  
45 cm, Silver inox  
SPS4HKI45G**



**Flexible loading and smart remote control  
of your dishwasher via the Home Connect  
app.**

- **Home Connect:** home appliances with smart connectivity for an easier everyday life.
- **ExtraDry:** extra drying option for difficult-to-dry loads.
- **Vario Flex baskets:** easily adjustable to create more space for your dishes.
- **Favourite function:** personalized function by just one touch.
- **Silence on demand:** up to 30 min noise reduction at any time via the Home Connect App.

**Technical Data**

Energy Efficiency Class: ..... E  
 Energy Consumption for 100 cycles Eco Programme: ..... 70 kWh  
 Maximum number of place settings: ..... 9  
 The water consumption of the eco programme in liters per cycle: 8.5 l  
 Programme duration: ..... 3:40 h  
 Airborne acoustical noise emissions : .....46 dB(A) re 1 pW  
 Airborne acoustical noise emission class: .....C  
 Built-in / Free-standing: ..... Freestanding  
 Height of removable worktop: ..... 30 mm  
 Dimensions of the product (HxWxD): .....845 x 450 x 600 mm  
 Depth with open door 90 degree: ..... 1155 mm  
 Adjustable feet: ..... Yes - all  
 Maximum adjustability feet: ..... 20 mm  
 Adjustable plinth: ..... No  
 Net weight: .....42.1 kg  
 Gross weight: ..... 43.5 kg  
 Connection rating: ..... 2400 W  
 Fuse protection: .....10 A  
 Voltage: ..... 220-240 V  
 Frequency: ..... 50; 60 Hz  
 Length electrical supply cord: ..... 175.0 cm  
 Plug type: ..... GB plug  
 Length inlet hose: ..... 165 cm  
 Length outlet hose: ..... 205 cm  
 EAN code: ..... 4242005203413  
 Installation typology: .....Free-standing with built under possibility

**Optional accessories**

- |         |                                 |
|---------|---------------------------------|
| SGZ1010 | inlet and outlet hose extension |
| SGZ3003 | Silver polishing cassette       |
| SMZ5000 | Dishwashing aid set             |
| SMZ5300 | GlassSecure Tray                |



## Series 4, Free-standing dishwasher, 45 cm, Silver inox SPS4HKI45G

### Flexible loading and smart remote control of your dishwasher via the Home Connect app.

<sup>1</sup> Scale of Energy Efficiency Classes from A to G

<sup>2</sup> Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)

<sup>3</sup> Water consumption in litres per cycle (in programme Eco 50 °C)

<sup>4</sup> Duration of programme Eco 50 °C

#### Performance

- Energy Efficiency Class<sup>1</sup>: E
- Energy<sup>2</sup> / Water<sup>3</sup>: 70 kWh / 8.5 litres
- Capacity: 9 place settings
- Programme duration<sup>4</sup>: 3:40 (h:min)
- Noise level: 46 dB(A) re 1 pW
- Noise Efficiency Class: C
- Noise level (silence programme): 43 dB(A) re 1 pW

#### Programmes / functions

- 6 programmes: Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65°, Silence 50 °C, Favourite
- Default favourite programme: Pre-Rinse
- 4 special options: Remote Start, Extra Dry, Intensive Zone, SpeedPerfect+
- Machine Care
- Silence on Demand (via app)

#### Flexible design elements

- VarioFlex basket system
- 3 stage Rackmatic height-adjustable top basket
- Variable cutlery basket in bottom basket
- Low friction wheels on bottom basket
- Rack Stopper to prevent derailing of bottom basket
- 2 foldable plate racks in top basket
- 2 foldable plate racks in bottom basket
- Knife rack in top basket
- Upper rack cup shelf
- Lower rack cup shelf
- Glass rack in bottom basket

#### Innovations and technology


- Home Connect ready on WLAN
- Heat exchanger.
- DosageAssist detergent dispenser
- EcoSilence BLDC drive
- Automatic detergent detection
- AquaSensor III
- AquaMix - Glass protection system

#### Design features

- Time delay (3, 6 or 24 hours)
- DuoPower spray arm in upper basket
- Self-cleaning filter system with 3 piece corrugated filter
- Leak protection system
- Tamperproof controls
- Large item spray head
- Stainless steel interior
- Dimensions (HxWxD): 84.5 x 45 x 60cm

**Series 4, Free-standing dishwasher,  
45 cm, Silver inox  
SPS4HKI45G**

measurements in mm



⌚ socket  
( ) values with extension kit