

Series 4, Washing machine, front loader, 8 kg, 1400 rpm WAN28282GB



A ↑ G







WMZ2200 Floor securing component

WMZ2381 Extension for cold water inlet /Aquastop WMZPW20W Platform with pull-out, washer, cubic

Automatic washing machine with EcoSilence Drive™: quiet operation and durability that you can rely on.

- ActiveWater Plus: For highly efficient use of water even with smaller loads thanks to automatic load detection.
- Speed Perfect: get the perfect clean in up to 65% less time.
- Reload function: forgot an item? Add it easily to the wash.
- EcoSilence Drive™: quiet and energy-efficient drive, with a 10-year warranty.
- Hygiene Plus: hygienic washing, effectively killing germs even at 40° .

Energy Efficiency Class:	C
Weighted energy consumption in kWh per 100 wa	shing cycles of eco
40-60 programme:	62 kWh
Maximum capacity in kg:	8.0 kg
The water consumption of the eco programme in	liters per cycle: 47 l
Duration of eco 40-60 programme in hours and m	ins at rated
capacity:	3:26 h
Spin-drying efficiency class of eco 40-60 program	me: B
Airborne acoustical noise emission class:	В
Airborne acoustical noise emissions :	75 dB(A) re 1 pW
Built-in / Free-standing:	Freestanding
Dimensions of the product:	848 x 598 x 550 mm
Net weight:	69.0 kg
Connection rating:	2300 W
Fuse protection:	10 A
Voltage:	220-240 V
Frequency:	50 Hz
Length electrical supply cord:	210.0 cm
Door hinge:	Left
Wheels:	No
EAN code:	4242005347858
Installation typology:	Free-standing



Series 4, Washing machine, front loader, 8 kg, 1400 rpm WAN28282GB

Automatic washing machine with EcoSilence Drive™: quiet operation and durability that you can rely on.

Performance

- Energy Efficiency Class¹: C
- Energy² / Water³: 62 kWh / 47 litres
- Load capacity: 1 8 kg
- Programme duration4: 3:26 h:min
- Spin drying efficiency class: B
- Spin speed**: 0 1400 rpm
- Noise level: 75 dB (A) re 1 pW
- Noise efficiency class: B

Programmes/functions

- SpeedPerfect: perfectly clean in up to 65% less time. ***
- Standard programmes: cottons, easy care, delicates, wool hand wash
- Special programmes: Down Wear, Outdoor, Shirts, Mixed Load, Super Quick 15/30, Drum clean with reminder, jeans/dark laundry, Wool/Handwash, Delicate/Silk programme

Key features

 Touch control buttons: Prewash, Rinse Plus, Ready in, Temperature selection, SpeedPerfect, start/pause with reload function, Spin speed reduction

Additional features

- Reload function: Flexibility to add or remove laundry items of any size even after start of the wash cycle.
- Large display for temperature, spin speed, remaining time, 24 hours end time delay and load recommendation
- Usage meter: counts completed programmes
- Drum volume: 55 litres
- Aqua Protection
- Fully electronic control dial for all wash and special programmes
- EcoSilence drive with 10 year warranty
- EcoSilence drive with 10 year warranty
- ActiveWater Plus: for highly efficient use of water even with smaller loads thanks to automatic load detection.
- AntiVibration Design for more stability and quietness
- Foam detection system
- Safeguard monitoring system adjusts load distribution and programme settings to protect clothes
- No
- Buzzer to indicate the end of cycle
- Child lock
- Divider for Liquid Detergent
- Large silver-white door with 180° opening and 30 cm porthole
- Metal door catch
- Reload facility


Technical Information


- Slide-under installation


- Dimensions (H x W): 84.8 cm x 59.8 cm
- Appliance depth: 55.0 cm
- Appliance depth incl. door: 60.0 cm
- Appliance depth with open door: 101.7 cm
- ¹ Scale of Energy Efficiency Classes from A to G
- ² Energy consumption in kWh per 100 cycles (in programme Eco 40-60)
- ³ Weighted water consumption in litres per cycle (in programme Eco 40-60)
- ⁴ Duration of Eco 40-60 programme
- ** Values are rounded.
- *** Comparison between the program duration of Easy-care 40°C and the program duration of Easy-care 40°C + activated Speed option



Series 4, Washing machine, front loader, 8 kg, 1400 rpm WAN28282GB







measurements in mm