

Series 4, Condenser tumble dryer, 8 kg WTE863B1GB



- **Auto Dry:** Automatically senses when your load is dried.
- **Anti Vibration sidewall:** extremely stable and quiet thanks to special vibration protection..
- **Fast drying:** dries a full load considerably fast.
- **Sensitive Drying System:** for gentle drying without creases.
- **Sportswear:** ideal for gentle drying of textiles such as microfibre, synthetics or functional fibres.

Technical Data

Removable top:	Yes
Built-in / Free-standing:	Freestanding
Door hinge:	Right
Length electrical supply cord:	145 cm
Dimensions:	842x598x639 mm
Net weight:	45.4 kg
EAN code:	4242002657691
Connection rating:	2600 W
Fuse protection:	13 A
Voltage:	220-240 V
Frequency:	50 Hz
Loading capacity:	8.0 kg
Energy efficiency rating:	N/A
Condensation efficiency class - NEW (2010/30/EC):	N/A



Optional accessories

WMZ20500	Platform with pull-out
WTZ10290	Cover plate
WTZ1110	Condenser drainage kit
WTZ11320	Stacking kit

Series 4, Condenser tumble dryer, 8 kg WTE863B1GB

Performance

- B Energy Class
- Capacity: 8 kg
- Consumption of 8 kg cotton cupboard dry: 1400 rpm - 3.74 kWh - 105 min 1000 rpm - 4.49 kWh - 122 min
- Noise level: drying 65dB (re 1pW)

Programmes/functions

- Fully electronic control dial for sensor drying, including timed and special programmes
- Special programmes: Woollens, Mixed Load, Sportswear, Timed Programme 20 minutes warm, Super Quick 40
- Touch control buttons: Start/Stop, Low heat, Time Delay, Reduced Ironing

Key features

- Sensitive drying: large stainless steel drum with textile care and revolution drying system


Additional features

- LC Display for time remaining and 24 hours time delay
- LED programme progress indicator and warning for fluff filter
- Anti crease cycle 120 min at the end of the programme
- Drum interior light
- Buzzer to indicate the end of cycle
- Metal door catch


Technical Information

- Can be built-under
- Glass door, Alu-Look, anthracite-grey

**Series 4, Condenser tumble dryer, 8
kg
WTE863B1GB**



measurements in mm



measurements in mm