

**Serie | 8, 175.6 x 91.2 cm, Black
KAN92LB35G**



Included accessories

2 x cold accumulator
1 x egg tray

**The A++ NoFrost side-by-side fridge-freezer
with indoor electronics: saves you from
defrosting - cools very efficiently.**

- **Extra Large size:** provides much more space for your food.
- **MultiBox:** transparent drawer with wave bottom, ideal for the storage of fruits and vegetables
- **LED light:** illuminates the refrigerator evenly without glare, lasts for the life of the appliance.
- **NoFrost:** never defrost again, thanks to perfect protection from ice formation - that saves time and effort.
- **EasyAccess Shelf:** retractable glass shelf for convenient loading and unloading and a perfect view.

Technical data

Built-in / Free-standing : Free-standing
 Number of compressors : 1
 Number of independent cooling systems : 2
 Width of the product : 912 mm
 Height : 1756 mm
 Depth of the product : 732 mm
 Net weight : 139.729 kg
 Door panel options : Not possible
 Door hinge : left and right
 Number of Adjustable Shelves in fridge compartment : 3
 Shelves for Bottles : Yes
 Interior ventilator : No
 Reversible Door Hinge : No
 Length electrical supply cord : 240 cm
 Noise level : 43 dB(A) re 1 pW
 Multi-Flow Air Tower : Yes
 Fast cooling switch : Yes
 Fast freezing switch : No
 Carbon Air Filter : No
 Temperature Controlled Drawer : No
 Humidity Control Drawer : No
 Number of Door Bins - Refrigerator : 5
 Door bin adjustability - Refrigerator : No
 Tilt-out door bins in fridge : Yes
 Number of Gallon storage : 2
 No. of shelves in fridge : 4
 Number of shelves - Freezer : 2
 Shelf Adjustability - Freezer : Yes
 Connection Rating : 190 W
 Fuse protection : 13 A
 Voltage : 220-240 V
 Frequency : 50-60 Hz
 Energy consumption annual - NEW (2010/30/EC) : 385.00 kWh/annum
 Refrigerator Net capacity - NEW (2010/30/EC) : 375 l
 Freezer Net capacity - NEW (2010/30/EC) : 217 l
 Freezing capacity) - NEW (2010/30/EC) : 12 kg/24h
 Storage Period in Event of Power Failure (h) : 12 h
 Approval certificates : CE, Eurasian, VDE
 Color / Material body : Chrome Inox-metallic
 Door panel options : Not possible
 Noise level : 43 dB(A) re 1 pW
 Energy Star Qualified : No
 Required cutout/niche size for installation (in) : x x
 Dimensions of the packed product : 74.25 x 38.58 x 31.10
 Net weight : 308.000 lbs
 Gross weight : 324.000 lbs
 Product name / Commercial code : KAN92LB35G



**Serie | 8, 175.6 x 91.2 cm, Black
KAN92LB35G**

**The A++ NoFrost side-by-side fridge-freezer
with indoor electronics: saves you from
defrosting - cools very efficiently.**

Technical information

- Climate class SN-T
- Connected load: 190 W
- 220 - 240 V

Supplied accessories

- 2 x cold pack, egg tray

Consumption

- Energy efficiency class: A++
- Energy consumption: 385 kWh/yr
- Total net capacity: 592 litres
- Noise level: 43 dB

Design

- Black doors and Metallic chrome side panels
- Interior LED lighting in fridge section

Features

- NoFrost
- Visualización exterior de la temperatura mediante LEDs
- Supercool function with automatic switch off
- Automatic defrost in fridge section
- Holiday mode
- Optical and accoustic door open warning system
- Freezer malfunction warning signal: Active Warning System by Temperatur increase

Fridge section

- Net fridge capacity: 375 litres
- Multi Airflow-System
- AirFreshFilter with AntiBacteria
- 2 door shelf large, 3 door shelf small
- Bottle rack
- Dairy compartment
- 1 VitaFresh plus drawer on telescopic rails with humidity control - Fruits and vegetables retain vitamins and stay fresh up to 2 times longer.
- Vegetable container on telescopic rails


Freezer section

- Net freezer capacity: 202 litres
- Freezing capacity: 12 kg in 24 hours
- Storage time in power failure: 12 H
- 4 Safety glass shelves, 2 are height adjustable
- 2 PC, Pull out drawer on extension rail systems
- Easy twist ice box
- LED illumination in freezer section


Appliance Dimension

- Dimensions: 175.6 cm (H) x 91.2 cm (W) x 73.2 cm (D)


Serie | 8, 175.6 x 91.2 cm, Black KAN92LB35G



measurements in mm



measurements in mm



x_1 (unit depth)	a	b
600	39	39
650	39	53
700	39	85
x_2 (wall)	39	300

measurements in mm