


Series 8, Induction hob with integrated ventilation system, 80 cm, surface mount with frame PXX875D34E



HEZ39050 Wireless temperature sensor for cooktop, HEZ390511 Teppan Yaki (small), HEZ390512 Teppan Yaki (large), HEZ390522 Griddle Plate, HEZ394301 Connecting strip, HEZ9SE030 Set of 2 pots and 1 pan, HEZ381401 Exhaust kit, HEZ381501 Recirculating kit, HEZ381700 Recirculation filter, HEZ390011 Stainless Steel roaster with glass lid, HEZ390012 Steaming Rack for Stainless Steel roaster, HEZ390090 Wok Set consisting of 3 Items, HEZ390210 System pan diameter 15 cm, HEZ390220 System pan diameter 19 cm, HEZ390230 System pan diameter 21cm

The induction hob with integrated ventilation module: combines best induction with best ventilation technology for perfect results.

- **FlexInduction Zone:** Get more flexibility by combining the cooking zones into one big zone for placing small pots and large cookware.

Gross weight: 34.9 kg
 Product name/family: Cooking zone ceramic
 Built-in / Free-standing: Built-in
 Energy input: Electric
 Min. required niche size for installation (HxWxD): 198 x 780-780 x 490-500 mm
 Width of the appliance: 816 mm
 Dimensions: 198 x 816 x 527 mm
 Dimensions of the packed product (HxWxD): 330 x 760 x 940 mm
 Net weight: 28.6 kg
 Gross weight: 34.9 kg
 Residual heat indicator: Separate
 Location of control panel: Front
 Basic surface material: Ceramic
 Color of surface: Black, Alu, brushed
 Length electrical supply cord: 110.0 cm
 Sealed Burners: No
 Heating with booster: All
 Power of 2nd heating element (kW): 3.3 kW
 Number of speed settings: 9-stage + intensive
 Maximum output air extraction: 551 m³/h
 Boost position output recirculating: 620.0 m³/h
 Maximum output recirculating air: 557 m³/h
 Boost position air extraction: 689 m³/h
 Noise level: 70 dB(A) re 1 pW
 Odour filter: No
 Operating Mode: Exhaust or re-circulate air operation
 Grease filter type: Kassette
 Voltage: 220-240 V
 Frequency: 50; 60 Hz
 Length electrical supply cord: 110.0 cm
 Min. required niche size for installation (HxWxD): 198 x 780-780 x 490-500 mm
 Dimensions: 198 x 816 x 527 mm
 Dimensions of the packed product (HxWxD): 330 x 760 x 940 mm
 Net weight: 28.6 kg



4 242002 949574

**Series 8, Induction hob with
integrated ventilation system, 80 cm,
surface mount with frame
PXX875D34E**

**The induction hob with integrated
ventilation module: combines best
induction with best ventilation technology
for perfect results.**

Design:

- Enable you to design your own cooking centre using various kinds of hobs

Feature:

- Can be treated as 4 traditional induction cooking zones
- 17 stages of power setting
- Boost function for all zones
- DirectSelect touch control

Technical Information:

- Connected load: 7.4 KW

Environment & safety:

- Digital 2 stage residual heat indicator

Dimensions (H x W x D):

- 198 x 816 x 527 mm

Cut out Dimensions (W x D):

- 780 mm x 490 mm

**Series 8, Induction hob with
integrated ventilation system, 80 cm,
surface mount with frame
PXX875D34E**

