Serie | 8, free-standing dishwasher, 60 cm, Stainless steel, lacquered SMS88TI36E

Rely on Zeolith® for PerfectDry results on dishes and glassware.

- **AquaStop:** 100% lifetime warranty for water damages guaranteed.
- Your appliance will stay fingerprint free and looking clean and fresh.

Technical data

Cleaning performance :	A
Water consumption (l) :	7.5
Total annual energy consumption (kWh) 220 days :	161
Total annual water consumption (l) 220 days :	1650
Built-in / Free-standing :	Free-standing
Removable top :	Yes
Door panel options :	Not possible
Height of removable worktop (mm) :	30
Height of the product (mm) :	845
Adjustable feet :	Yes - all
Maximum adjustability feet (mm) :	20
Net weight (kg) :	55.813
Gross weight (kg) :	58.0
Current (A) :	10
Voltage (V) :	220-240
Frequency (Hz) :	50; 60
Length electrical supply cord (cm) :	175
Plug type :	Gardy plug w/ earthing
Length inlet hose (cm) :	165
Length outlet hose (cm) :	190
Hidden heating element :	Yes
Water protection system description :	
Triple water protection	24h
Child saftety devices :	Childlock appliance
Water softener :	Yes
Adjustable upper basket :	Rackmatic 3-stage
Cup Shelf :	2
3rd Rack :	3rd Rack 2.1
Cutlery Basket :	Standard
Optional accessories :	
SGZ1010, SMZ1051EU, SMZ2014, SMZ5100, SMZ5300	
Included accessories 2 :	Glasstray
Color / Material panel :	Stainless steel colour, lacqu.
Color / Material body :	Stainless steel, lacquered
Color / Material top :	Stainless steel colour, lacqu.
Dimensions of the product (HxWxD) :	845 x 600 x 600
Dimensions of the packed product (HxWxD) (mm) :	880 x 670 x 660

Optional accessories

SMZ5300 : GlassSecure Tray

4 242002 957623

Serie | 8, free-standing dishwasher, 60 cm, Stainless steel, lacquered
SMS88TI36E

Rely on Zeolith® for PerfectDry results on dishes and glassware.

Performance:

- EU Energy Efficiency: A+++
- -10% 211 kWh
- Drying efficiency class: A

Programmes:

Function:

- Machine Care programme
- Special options: Intensive Zone, VarioSpeedPlus, HygienePlus, Extra Dry

Advanced Technology:

- Zeolite® Drying
- AquaSensor
- AquaStop with guarantee
- 3-fold corrugated filter
- DosageAssist
- Heat exchanger
- Detergent Automation
- Childproof door lock

Control:

- Preset timer: 1-24 hours

Design:

- high TP with touchpoints
- varioDrawer Pro
- Rackmatic height-adjustable top basket (3 stage)
- Stainless steel cavity
- AntiFingerprint surface coating

Display:

- TFT Display at control panel

Technical Information:

- Capacity: Capacity: 13 place settings
- Water consumption in 50 °C 50 °C programme: 7.5 litres
- Noise level: 42 dB
- Dimensions of the product (HxWxD): 84.5 x 60 x 60 cm

Serie | 8, free-standing dishwasher, 60 cm, Stainless steel, lacquered
SMS88TI36E



( ) Werte mit Verlängerungssatz