

**Serie | 8, Built-in compact oven with steam function, 60 x 45 cm, Stainless steel  
CSG656BS1B**

**A+**



**The compact steam oven with hot air function: lets you combine gentle cooking with the power of hot air.**

- **Steam function:** for gentle, healthy food preparation.
- **Added Steam cooking:** keeping food crispy on the outside and juicy on the inside
- **BoschAssist:** automatic setting heat, temperature and time for countless dishes.
- **TFT touchscreen control:** easy-to-use thanks to the control ring with full text and images.
- **EcoClean Direct:** almost no cleaning is necessary.

**Technical Data**

|   |                         |
|---|-------------------------|
| Color / Material Front :  | Stainless steel         |
| Built-in / Free-standing :  | Built-in                |
| Door opening :  | Drop down               |
| Required niche size for installation (HxWxD) :                    | 450-455 x 560-568 x 550 |
| Dimensions :  | 455 x 594 x 548         |
| Dimensions of the packed product (HxWxD) (mm) :                   | 520 x 650 x 710         |
| Control Panel Material :  | Stainless steel         |
| Door Material :   | Glass                   |
| Net weight (kg) :   | 34.549                  |
| Approval certificates :   | CE, VDE                 |
| Length electrical supply cord (cm) :                              | 150                     |
| EAN code :  | 4242002807522           |
| Current (A) :   | 16                      |
| Voltage (V) :   | 220-240                 |
| Frequency (Hz) :  | 60; 50                  |
| Plug type :   | no plug                 |
| Approval certificates :   | CE, VDE                 |
| Number of cavities (2010/30/EC) :                                 | 1                       |
| Usable volume (of cavity) - NEW (2010/30/EC) :                    | 47                      |
| Energy efficiency rating :  | A+                      |
| Energy consumption per cycle conventional (2010/30/EC) :          | 0.73                    |
| Energy consumption per cycle forced air convection (2010/30/EC) : | 0.61                    |
| Energy efficiency index (2010/30/EC) :                            | 81.3                    |

**Included accessories**

1 x grid, 1 x universal pan, 1 x steam container, punched, size S, 1 x steam container, punched, size XL, 1 x steam container, unpunched, size S

**Optional accessories**

- HEZ530000 : Half tray
- HEZ531010 : Baking tray, non-stick ceramic coated
- HEZ625071 : Grill tray, anthracite enamelled
- HEZ631070 : Baking tray, anthracite enamelled
- HEZ636000 : Glass pan
- HEZ660060 : Strip
- HEZ6FCGO : Cookbook
- HEZ915003 : Glass roasting dish, 5,4 L



## **Serie | 8, Built-in compact oven with steam function, 60 x 45 cm, Stainless steel CSG656BS1B**

**The compact steam oven with hot air function: lets you combine gentle cooking with the power of hot air.**

---

- 3x 2,5"-TFT colour and graphics display with direct touch function
- EcoCleanDirect :ceiling, back panel, side liners
- EcoClean Direct programme
- BoschAssist
- Drop down door,SoftClose,SoftOpen
- Electronic clock timer
- LED light,Light on/off when oven door opened/closed
- Integral cooling fan
- Control panel lock  
Automatic safety switch off  
Residual heat indicator  
Start button  
Door contact switch
- Water tank empty indicator

### **Programmes/functions**

- Compact steam ovenwith12 main functionsheating methods:4D Hotair,Hotair Gentle,conventional top and bottom heat,conventional heat Gentle,Hotair grilling,full width variable grill,half width grill,pizza function,bottom heat,low temperature cooking,plate warming,keep warm
- Additional heating methods with steam:Steam cooking,reheating with steam,Dough proving,defrost
- Additional functions:  
Descaling programme  
Drying function  
autom. boiling point detection
- Fast pre-heating function

### **Technical information**

- Cavity volume:47 litre capacity
- 1 lWater tank
- Location of water tank:Outside cavity
- Temperature range30 °C-250 °C
- 150 cm CableCable length
- Appliance dimension (hwxwd):455 mmx594 mmx548 mm
- Please refer to the dimensions provided in the installation manual
- 1 x universal pan, 1 x grid, 1 x steam container, punched, size XL, 1 x steam container, punched, size S, 1 x steam container, unpunched, size S

