

Series 6, Built-in oven, 60 x 60 cm, Stainless steel HBA5570S0B











Included accessories

2 x combination grid, 1 x universal pan

Optional accessories

HEZ634000 Baking and roasting grid (standard), HEZ638000 Full ext rails, level independent, HEZ660050 Cover Strip, HEZ664000 Baking and roasting grid (steam), HEZ915003 Glass roasting dish, 5,4 L, HEZ327000 Pizza stone, HEZ32WA00 Wireless food thermometer, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 Universal pan, non-stick ceramic coated, HEZ538000 1fold telescopic rail, level independent, HEZ617000 Pizza pan, enamelled, HEZ629070 Air Fry & Grill tray, HEZ631070 Baking tray, enamelled, HEZ632070 Multipurpose pan, enamelled

The built-in oven with AutoPilot: automatically prepares perfect dishes.

- 3D Hotair: even heat distribution for perfect results on up to three levels.
- AutoPilot 10: every dish is a perfect success thanks to 10 pre-set automatic programmes.
- White LCD display control: easy-to-use thanks to direct access to additional functions.
- **Pop-out controls**: Make the front of the oven easy to clean and give it a sleek look.
- EcoClean Direct: easy cleaning thanks to a coating that breaks down grease while you bake.

Technical Data

Built-in / Free-standing: Built-in
Integrated Cleaning system:EcoClean Direct programme, Hydrolytic
Min. required niche size for installation (HxWxD): 585-595 x 560-568
x 550 mm
Dimensions: 595 x 594 x 548 mm
Dimensions of the packed product (HxWxD): 675 x 660 x 690 mm
Control Panel Material: Stainless steel
Door Material: Glass
Net weight:
Usable volume (of cavity) - cavity 1:71 l
Cooking method: Full width grill, Hotair gentle, Hot Air, Conventional
heat, Pizza setting, Bottom heat, Hot air grilling
Oven control: mechanical
Number of interior lights: 1
Length electrical supply cord:
EAN code:
Number of cavities (2010/30/EC):
Energy efficiency rating:A
Energy consumption per cycle conventional (2010/30/EC):0.97
kWh/cycle
Energy consumption per cycle forced air convection (2010/30/EQ):81
kWh/cycle
Energy efficiency index (2010/30/EC):95.3 %
Connection rating:
Fuse protection:
Voltage:
Frequency:
Plug type:no plug (electrical connection by electrician)
Included accessories:2 x combination grid, 1 x universal pan





Series 6, Built-in oven, 60 x 60 cm, Stainless steel HBA5570S0B

The built-in oven with AutoPilot: automatically prepares perfect dishes.

Design

- LCD-display control (white)
- Rotary dial, Retractable control dials, round
- Straight bar handle

Features

- Control panel lock
- Residual heat indicator
- Heating-up indicator
- AutoPilot Automatic start
- 5 shelf positions
- AutoPilot, 10
- Electronic clock timer
- Interior halogen light
- Integral cooling fan

Cleaning

- EcoCleanDirect : ceiling, back panel, side liners
- EcoClean Direct programme

Programmes/functions

- Oven with 7 PC heating methods: 3D Hotair, conventional top and bottom heat, Hotair grilling, full width variable grill, pizza function, bottom heat, Hotair gentle
- Automatic programmes
- Fast pre-heating function

Accessories


- 1 set of level independent telescopic rails, Stop function
- 1 x universal pan, 2 x combination grid


Performance/technical information

- Energy efficiency rating (acc. EU Nr. 65/2014): A
- Energy consumption per cycle in conventional mode: $0.97\ \text{kWh}$
- Energy consumption per cycle in fan-forced convection mode:0.81 kWh
- Number of cavities: Main cavity Heat source: electrical Cavity volume:71 litre capacity
- 120 cm Cable length
- Total connected load electric: 2.99 KW
- Temperature range 50 °C 275 °C
- Nominal voltage: 220 240 V
- Appliance dimension (hxwxd): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwxd): 585 mm 595 mm x 560 mm 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual




Series 6, Built-in oven, 60 x 60 cm, Stainless steel HBA5570S0B





measurements in mm

Measurements in mm




A: 19.5 mm

B: Space for appliance connection 320 x

115 mm

Installation with a hob.



measurements in mm