

Series 8, Built-in oven, 60 x 60 cm, Black HBG673BB1B



Included accessories

2 x combination grid, 1 x universal pan

Optional accessories

HEZ327000 Pizza stone, HEZ617000 Pizza pan, enamelled, HEZ625071 Grill tray, anthracite, HEZ631010 Baking tray, non-stick coated, HEZ631070 Baking tray, enamelled, HEZ632010 Universal pan, non-stick coated, HEZ632070 Multipurpose pan, enamelled, HEZ633001 Lid for professional pan, enamelled, HEZ633070 Professional pan with grid, enamelled, HEZ634000 Baking and roasting grid, HEZ635000 Barbecue-Set, HEZ636000 Glass pan, HEZ638170 1 level telescopic rail, full ext, pyro, HEZ638270 2 level telescopic rails, full ext,pyro, HEZ638370 3 level telescopic rails, full ext,pyro, HEZ660050 Cover Strip, HEZ6BCA0 Cookbook, HEZ6BMA00 Assembly kit for vertical installation, HEZ9020 Conversion cabinet, HEZ915003 Glass roasting dish, 5,4 L, HEZG0AS00 Connecting cable 3m

The built-in oven with AutoPilot: automatically prepares perfect dishes.

Technical Data

Built-in / Free-standing: Built-in
Integrated Cleaning system: Pyrolytic
Required niche size for installation (HxWxD): 585-595 x 560-568 x 550 mm
Dimensions: 595x594x548 mm
Dimensions of the packed product (HxWxD): 670 x 670 x 680 mm
Control Panel Material: Glass
Door Material: Glass
Net weight: 38.7 kg
Usable volume (of cavity) - cavity 1: 71 l
Cooking method: 4D Hotair, Defrost, Full width grill, Hot Air-Eco, Half width grill, Conventional heat, Conventional heat ECO, Pizza setting, Bottom heat, Hot air grilling
Oven control: electronic
Length electrical supply cord: 120.0 cm
EAN code: 4242002881546
Number of cavities (2010/30/EC): 1
Energy efficiency rating: A+
Energy consumption per cycle conventional (2010/30/EC): 0.87 kWh/cycle
Energy consumption per cycle forced air convection (2010/30/EC): 69 kWh/cycle
Energy efficiency index (2010/30/EC): 81.2 %
Connection rating: 3600 W
Fuse protection: 16 A
Voltage: 220-240 V
Frequency: 50; 60 Hz
Plug type: no plug (electrical connection by electrician)
Included accessories: 2 x combination grid, 1 x universal pan



4 242002 881546

Series 8, Built-in oven, 60 x 60 cm, Black HBG673BB1B

**The built-in oven with AutoPilot:
automatically prepares perfect dishes.**

Design

- 2.5"-TFT colour and text display with direct select buttons
- Drop down door, SoftClose, SoftOpen
- Bosch control wheel
- Straight bar handle
- Cavity inner surface: Enamel anthracite

Features

- Digital temperature display with proposal Actual temperature display Heating-up indicator AutoPilot Sabbath setting
- Control panel lock Automatic safety switch off Residual heat indicator Start button Door contact switch
- AutoPilot, 10
- Electronic clock timer
- Main on/off switch
- Interior halogen light, Light on/off when oven door opened/closed
- Light on/off when oven door opened/closed
- 5 shelf positions

Cleaning

- Pyrolytic self-cleaning function
- Full glass inner door

Programmes/functions

- Oven with 10 cooking functions: heating methods: 4D Hotair, Hotair Gentle, conventional top and bottom heat, conventional heat Gentle, Hotair grilling, full width variable grill, half width grill, pizza function, bottom heat, defrost
- Fast pre-heating function


Standard accessories

- 2 x combination grid, 1 x universal pan


Performance/technical information

- Energy efficiency rating (acc. EU Nr. 65/2014): A+ Energy consumption per cycle in conventional mode: 81.2 Energy consumption per cycle in fan-forced convection mode: 0.69 kwh Number of cavities: 1 Cavity volume: 71 litre capacity
- Temperature range 30 °C - 300 °C
- Integral cooling fan
- 120 cm Cable length
- Total connected load electric: 3.6 KW
- Nominal voltage: 220 - 240 V
- Appliance dimension (hxwxd): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwxd): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

**Series 8, Built-in oven, 60 x 60 cm,
Black
HBG673BB1B**



measurements in mm




Space for appliance
connection 320 x 115

measurements in mm

If the appliance will be installed underneath
a hob, the following worktop thicknesses
(including substructure if necessary)
must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm



Space for appliance
connection
320 x 115

measurements in mm