

**Series 6, free-standing fridge-freezer
with freezer at bottom, 186 x 60 cm,
White
KGE36AWCA**



**The bottom freezer with VitaFresh plus
0° C Box: especially efficient - keeps your
meat and fish fresher for longer**

- **VitaFresh:** keeps food fresh for longer in climate-controlled drawers at around 0°C.
- **LED lighting:** all your items in perfect view.
- **Big Box drawer:** easily stack food containers and store larger items in your freezer.
- **Easy Access Shelf:** a pull-out glass shelf for easier access to everything inside your fridge.
- **Low Frost:** defrost less often thanks to reduced frost – saving time, effort and energy.

Energy Efficiency Class:C
Average annual energy consumption in kilowatt hour per year
(kWh/a): 149 kWh/annum
Sum of volume of frozen compartments: 94 l
Sum of volume of chill compartments: 214 l
Airborne acoustical noise emissions :38 dB(A) re 1pW
Airborne acoustical noise emission class:C
Built-in / Free-standing:Free-standing
Door panel options: Not possible
Height: 1860 mm
Width of the appliance: 600 mm
Depth: 650 mm
Net weight:68.8 kg
EAN code:4242005196302
Connection rating: 90 W
Fuse protection:10 A
Door hinge: Right reversible
Voltage: 220-240 V
Frequency: 50 Hz
Length electrical supply cord: 240.0 cm
Number of compressors: 1
Number of independent cooling systems: 2
Interior ventilator: Yes
Reversible Door Hinge: Yes
Number of Adjustable Shelves in fridge compartment: 2
Shelves for Bottles: Yes
Frost free system:No
Installation typology: Free-standing

KSZ10010 Snackbox
KSZ10030 Bottle Rack



Series 6, free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, White KGE36AWCA

The bottom freezer with VitaFresh plus 0° C Box: especially efficient - keeps your meat and fish fresher for longer

Functions

- White doors and white side panels
- Integrated vertical handle Integrated vertical handle
- Bright interior LED fridge light

Design features

- Electronic control for fridge and freezer with LED display
- Two separate cooling circuits allow independent temperature control and prevents the transference of humidity between the fridge and freezer cavity
- Acoustic alarm
- Freezer malfunction warning signal: optical and acoustical warning system
- Holiday mode - saves energy when you're away a longer period of time
- SuperCool function
- Automatic defrost fridge

Design features

- 4 removable safety glass shelves of which 2 are easy pull out
- Door shelves in fridge door: 1 large and 2 small
- Bottle rack

Freshness System

- Capacity in 0° C section: 22 l
- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer

Food freshness system

- LowFrost - less ice creation and therefore quicker defrosting
- VarioZone - adaptable storage for more flexibility
- 3 transparent freezer drawers, including 1 BigBox

Dimension and installation

- Dimensions: 186 cm H x 60 cm W x 65 cm D

Key features - Fridge section

- Right hinged door, reversible door
- Height adjustable front feet
- Defrost water outlet - for easy and convenient defrosting
- Connection value 90 W
- 220 - 240 V

Key features - Freezer section

- 3 x egg tray

Country Specific Options


- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is

fully functional, but has a slightly higher energy consumption.

Performance and Consumption

- EU19_EEK_D: C
- Total Volume : 308 l
- Net Fridge Volume : 214 l
- Net Freezer Volume : 94 l
- Freezing capacity 24h : 5.5 kg
- Annual Energy Consumption: 149 kWh/a
- Climate Class: SN-T
- EU19_Fast freezer facility_D: yes
- Noise Level : 38 dB
- Temperature rise time : EU19_Temperature rise time_D: 18 H

**Series 6, free-standing fridge-freezer
with freezer at bottom, 186 x 60 cm,
White
KGE36AWCA**



Device name	a	b	c	d	e	f	g	h
KGV33 (inner handle)	1760	600	650	580	600	1200	650	690
KGV33 (outer handle)	1760	600	650	580	640	1200	690	690
KGV36/KGE36 (inner handle)	1860	600	650	580	600	1200	650	690
KGV36/KGE36 (outer handle)	1860	600	650	580	640	1200	690	690

Specification	
a	Height
b	Width
c	Depth with door closed, without handle and without flexible spacing piece
d	Cabinet depth without flexible spacing piece
e	Width with door opened to 90°
f	Depth with door opened, without handle and without flexible spacing piece
g	Depth with door closed, with handle and without flexible spacing piece
h	Depth with door closed, without handle and with flexible spacing piece

measurements in mm