

**Series 4, free-standing fridge-freezer
with freezer at bottom, 186 x 60 cm,
White
KGV36VWEAG**



Optional accessories

KSZ10010 Snackbox
KSZ10030 Bottle Rack

**The bottom freezer with VitaFresh Box:
very efficient- keeps your fruits and
vegetables fresher for longer.**

- **VitaFresh:** vitamin rich fruit & vegetables stay fresh for longer in a climate controlled drawer.
- **LED lighting - with soft start, lasts for the lifetime of the appliance.**
- **Big Box drawer:** for stacking storage containers or for large frozen food items.
- **Easy Access Shelf:** a pull-out glass shelf for easier access to everything inside your fridge.
- **Low Frost:** defrost less often thanks to reduced frost – saving time, effort and energy.

Technical Data

Energy Efficiency Class: E
Average annual energy consumption in kilowatt hour per year
(kWh/a): 233 kWh/annum
Sum of volume of frozen compartments: 94 l
Sum of volume of chill compartments: 214 l
Airborne acoustical noise emissions : 39 dB(A) re 1 pW
Airborne acoustical noise emission class: C
Built-in / Free-standing: Free-standing
Door panel options: Not possible
Height: 1860 mm
Width of the appliance: 600 mm
Depth: 650 mm
Net weight: 68.1 kg
Connection rating: 90 W
Fuse protection: 10 A
Door hinge: Right reversible
Voltage: 220-240 V
Frequency: 50 Hz
Length electrical supply cord: 240.0 cm
Number of compressors: 1
Number of independent cooling systems: 1
Interior ventilator: No
Reversible Door Hinge: Yes
Number of Adjustable Shelves in fridge compartment: 2
Shelves for Bottles: Yes
Frost free system: No
Installation typology: Free-standing



Series 4, free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, White KGV36VWEAG

The bottom freezer with VitaFresh Box: very efficient- keeps your fruits and vegetables fresher for longer.

- Freezing capacity 24h : 4.5 kg
- Annual Energy Consumption: 233 kWh/a
- Climate Class: SN-T
- EU19_Fast freezer facility_D: yes
- Noise Level : 39 dB
- Temperature rise time : EU19_Temperature rise time_D: 17 H

-
- Cambered Door, High-door design White
 - Fridge freezer

Functions

- White doors and white side panels
- Integrated vertical handle Integrated vertical handle
- Bright interior LED fridge light

Design features

- LED electronic control
- Automatic defrost fridge

Design features

- 4 removable safety glass shelves of which 2 are easy pull out
- Door shelves in fridge door: 1 large and 2 small

Freshness System

- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer

Food freshness system

- LowFrost - less ice creation and therefore quicker defrosting
- 3 transparent freezer drawers, including 1 BigBox

Dimension and installation

- Dimensions: 186 cm H x 60 cm W x 65 cm D

Key features - Fridge section

- Right hinged door, reversible door
- Height adjustable front feet
- Defrost water outlet - for easy and convenient defrosting
- Connection value 90 W
- 220 - 240 V

Key features - Freezer section

Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Additional features


Design features

Dimension and installation

Performance and Consumption

- EU19_EEK_D: E
- Total Volume : 308 l
- Net Fridge Volume : 214 l
- Net Freezer Volume : 94 l

**Series 4, free-standing fridge-freezer
with freezer at bottom, 186 x 60 cm,
White
KGV36VWEAG**



Device name	a	b	c	d	e	f	g	h
KGV33 (inner handle)	1760	600	650	580	600	1200	650	690
KGV33 (outer handle)	1760	600	650	580	640	1200	690	690
KGV36/KGE36 (inner handle)	1860	600	650	580	600	1200	650	690
KGV36/KGE36 (outer handle)	1860	600	650	580	640	1200	690	690

Specification	
a	Height
b	Width
c	Depth with door closed, without handle and without flexible spacing piece
d	Cabinet depth without flexible spacing piece
e	Width with door opened to 90°
f	Depth with door opened, without handle and without flexible spacing piece
g	Depth with door closed, with handle and without flexible spacing piece
h	Depth with door closed, without handle and with flexible spacing piece

measurements in mm