

Series 2, built-in fridge-freezer with freezer at bottom, 193.5 x 54.1 cm, sliding hinge KIN96NSE0











KSZB6R00 Bottle Rack KSZGGM00 Butter box The extra large built-in fridge freezer with 12% more cooling volume including Multi Box XXL drawer for fruit and vegetables, No Frost and error warning signal for optimal storage.

- Built-in XL: get 11% extra volume of storage thanks to a taller design.
- No Frost: never defrost again, thanks to perfect protection from ice formation that saves time and effort.
- An audible alarm system signals the door is open
- LED lighting: all your items in perfect view.

A ↑ G

• Two cooling systems: separately controllable fridge and freezer compartments

Energy Efficiency Class: E Average annual energy consumption in kilowatt hour per year (kWh/a): 231 kWh/annum Sum of volume of frozen compartments: 75 l Sum of volume of chill compartments: 215 l Airborne acoustical noise emissions: 34 dB(A) re 1pW Airborne acoustical noise emission class: B Built-in / Free-standing: Built-in Door panel options: Not possible Height: 1935 mm Width of the appliance: 541 mm Depth: 548 mm Required niche size for installation (HxWxD): 1940 x 560 x 550 mm Net weight: 54.8 kg Fuse protection: 10 A Door hinge: Right reversible Voltage: 220-240 V Frequency: 50 Hz Length electrical supply cord: 230.0 cm Number of compressors: 1 Number of independent cooling systems: 2 Interior ventilator: No Reversible Door Hinge: Yes
(kWh/a): 231 kWh/annum Sum of volume of frozen compartments: 75 l Sum of volume of chill compartments: 215 l Airborne acoustical noise emissions: 34 dB(A) re 1pW Airborne acoustical noise emission class: B Built-in / Free-standing: Built-in Door panel options: Not possible Height: 1935 mm Width of the appliance: 541 mm Depth: 548 mm Required niche size for installation (HxWxD): 1940 x 560 x 550 mm Net weight: 54.8 kg Fuse protection: 10 A Door hinge: Right reversible Voltage: 220-240 V Frequency: 50 Hz Length electrical supply cord: 230.0 cm Number of compressors: 1 Number of independent cooling systems: 2 Interior ventilator: No Reversible Door Hinge: Yes
Sum of volume of frozen compartments:
Sum of volume of chill compartments:
Airborne acoustical noise emissions:
Airborne acoustical noise emission class:
Built-in / Free-standing: Built-in Door panel options: Not possible Height: 1935 mm Width of the appliance: 541 mm Depth: 548 mm Required niche size for installation (HxWxD): 1940 x 560 x 550 mm Net weight: 54.8 kg Fuse protection: 10 A Door hinge: Right reversible Voltage: 220-240 V Frequency: 50 Hz Length electrical supply cord: 230.0 cm Number of compressors: 1 Number of independent cooling systems: 2 Interior ventilator: No Reversible Door Hinge: Yes
Door panel options:
Height:
Width of the appliance:
Depth:
Required niche size for installation (HxWxD):1940 x 560 x 550 mm Net weight:
Net weight: .54.8 kg Fuse protection: .10 A Door hinge: Right reversible Voltage: .220-240 V Frequency: .50 Hz Length electrical supply cord: .230.0 cm Number of compressors: .1 Number of independent cooling systems: .2 Interior ventilator: .No Reversible Door Hinge: .Yes
Fuse protection:
Door hinge: Right reversible Voltage: 220-240 V Frequency: 50 Hz Length electrical supply cord: 230.0 cm Number of compressors: 1 Number of independent cooling systems: 2 Interior ventilator: No Reversible Door Hinge: Yes
Voltage:
Frequency:
Length electrical supply cord: 230.0 cm Number of compressors: .1 Number of independent cooling systems: .2 Interior ventilator: No Reversible Door Hinge: Yes
Number of compressors: .1 Number of independent cooling systems: .2 Interior ventilator:
Interior ventilator:
Interior ventilator:
-
Number of Adjustable Shelves in fridge compartment:
Shelves for Bottles:
Frost free system: Fridge and freezer
Installation typology: Integrated





Series 2, built-in fridge-freezer with freezer at bottom, 193.5 x 54.1 cm, sliding hinge KIN96NSE0

The extra large built-in fridge freezer with 12% more cooling volume including Multi Box XXL drawer for fruit and vegetables, No Frost and error warning signal for optimal storage.

Design features

- Built-in fridge-freezer
- Right hinged door, reversible door
- Height adjustable front feet
- Bright interior LED fridge light
- Separate, electronic temperature control with LED display

Functions

- Automatic defrost fridge
- NoFrost freezer, never have to defrost ever again
- Two separate cooling circuits allow independent temperature control and prevents the transference of humidity between the fridge and freezer cavity
- SuperCool function
- Optical and acoustic door open alarm

Food freshness system

- 1 MultiBox - Transparent drawer with a rippled bottom, ideal for storing fruits and vegetables.

Key features - Fridge section

- 5 safety glass shelves in fridge compartment of which 4 are height adjustable
- Door shelves in fridge door: 1 large and 3 small

Key features - Feezer section

- 3 freezer drawers

Additional features

- 1 x ice cube tray

Performance and Consumption

- Climate Class: SN-ST

- Total Volume : 290 l

- Net Fridge Volume : 215 l

- Net Freezer Volume : 75 l

- Annual Energy Consumption: 231 kWh/a

- Noise Level : 34 dB

- Temperature rise time : EU19_Temperature rise time_D: 10 H $\,$

- Freezing capacity 24h : 7.5 kg

- 220 - 240 V

- EU19 EEK D: E

- EU19_Fast freezer facility_D: yes

Dimension and installation


- Dimensions: 193.5 cm H x 54.1 cm W x 54.8 cm D
- Niche Dimensions: 194 cm H x 56 cm W x 55 cm D
- Length of power cord:230 cm


Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.



Series 2, built-in fridge-freezer with freezer at bottom, 193.5 x 54.1 cm, sliding hinge KIN96NSE0





C: Front panel overhang

D: Lower edge of front panel

