

Series 2, built-in fridge, 88 x 56 cm, flat hinge KIR18V60





Included accessories

1 x egg tray

Optional accessories

KFZ20AX0Door panel with decor frameKFZ20SX0Stainless steel door panel

The refrigerator comes with a MultiBox with rippled base: protects your fruits and vegetables - cools very efficiently.

- LED lighting: all your items in perfect view.
- Energy efficiency class A++: reduce energy consumption while enjoying optimal cooling performance.
- Multi Box: ideal storage for fruits and vegetables.

Technical Data

Built-in / Free-standing:Built-in
Door panel options: Not possible
Height:
Width of the appliance:541 mm
Depth:
Required niche size for installation (HxWxD):880 x 560 x 550 mm
Net weight:
Connection rating:
Fuse protection:
Door hinge: Right reversible
Voltage:
Frequency:
Length electrical supply cord:
Number of compressors:1
Number of independent cooling systems:1
Interior ventilator: No
Reversible Door Hinge:Yes
Number of Adjustable Shelves in fridge compartment:
Shelves for Bottles: No
EAN code:4242002693361
Brand: Bosch
Product name / Commercial code: KIR18V60
Product category:Refrigerator
Frost free system:No
Installation typology: Integrated
Included accessories:1 x egg tray



¹ Scale of Energy Efficiency Classes from A to G



Series 2, built-in fridge, 88 x 56 cm, flat hinge KIR18V60

The refrigerator comes with a MultiBox with rippled base: protects your fruits and vegetables - cools very efficiently.

Performance and Consumption

- Energy Efficiency Class: A++
- Energy Efficiency Class: A++ kWh/yr: 0.262 kWh
- Total net capacity: 150 litres
- Noise level dB(A) re 1 pW: 37

Design features

- Right hinged door, reversible door
- Fixed hinge
- Mechanical control
- Bright interior LED fridge light
- Removable magnetic door seals easy to clean
- 1 compressor

Food freshness system

- 1 MultiBox - Transparent drawer with a rippled bottom, ideal for storing fruits and vegetables.

Key features - Fridge section

- 4 safety glass shelves in fridge compartment of which 3 are height adjustable
- 4 removable door storage compartments.

Dimension and installation

- Ventilation in plinth, the plinth size can be varied
- Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C)
- Connection value 90 W
- Dimensions: 87.4 cm H x 54.1 cm W x 54.2 cm D
- Niche Dimensions: 88 cm H x 56 cm W x 55 cm D
- without



Series 2, built-in fridge, 88 x 56 cm, flat hinge KIR18V60





measurements in mm Recommended gap dimensions for flat hinges



F	R	X
16-19	0-3	2.5
20	0-1	3
	2-3	2.5
21	0-1	3
	2-3	2.5
22	0	4
	1	3.5
	2-3	3

The gap dimensions recommended in the table must be adhered to in order to ensure that appliance doors do not collide with anything when they are opened, and to avoid causing damage to kitchen units.