

Series 4, free-standing fridge, 176 x 60 cm, Stainless steel look KSV33VLEP



The refrigerator with VitaFresh Box: cools very efficiently - thanks to the cooling compartment, your fruits and vegetables stay fresh longer.

- **VitaFresh:** vitamin rich fruit & vegetables stay fresh for longer in a climate controlled drawer.
- **LED lighting:** all your items in perfect view.
- **Easy Access Shelf:** a pull-out glass shelf for easier access to everything inside your fridge.
- **Super Cool function:** cools new food faster, to protect what is already inside.

Technical Data

Energy Efficiency Class¹: E
 Average annual energy consumption in kilowatt hour per year (kWh/a): 113 kWh/annum
 Sum of volume of frozen compartments: 0 l
 Sum of volume of chill compartments: 324 l
 Airborne acoustical noise emissions : 39 dB(A) re 1pW
 Airborne acoustical noise emission class: C
 Built-in / Free-standing: Free-standing
 Door panel options: Not possible
 Height: 1760 mm
 Width of the appliance: 600 mm
 Depth: 650 mm
 Net weight: 58.2 kg
 Fuse protection: 10 A
 Door hinge: Left reversible
 Voltage: 220-240 V
 Frequency: 50 Hz
 Length electrical supply cord: 230.0 cm
 Number of compressors: 1
 Number of independent cooling systems: 1
 Interior ventilator: Yes
 Reversible Door Hinge: Yes
 Number of Adjustable Shelves in fridge compartment: 5
 Shelves for Bottles: Yes
 EAN code: 4242005205707
 Brand: Bosch
 Product name / Commercial code: KSV33VLEP
 Product category: Refrigerator
 Frost free system: Not applicable
 Installation typology: Free-standing

Optional accessories

KSZ10010 Snackbox
 KSZ10030 Bottle Rack
 KSZ39AL00 Connection set inox



¹ Scale of Energy Efficiency Classes from A to G

Series 4, free-standing fridge, 176 x 60 cm, Stainless steel look KSV33VLEP

- EU19_Fast freezer facility_D: no
- Noise Level : 39 dB

The refrigerator with VitaFresh Box: cools very efficiently - thanks to the cooling compartment, your fruits and vegetables stay fresh longer.

Functions

- Stainless steel look doors and Pearl grey (VZF 07127) side panels
- Vertical door handle Vertical door handle
- Bright interior LED fridge light

Design features

- LED electronic control
- Automatic defrost fridge
- SuperCool function

Design features

- Active cooling - quick and even temperature distribution on all shelf levels (interior fridge fan)
- 7 removable safety glass shelves of which 5 are easy pull out
- Bottle rack
- 5 door bins

Freshness System

- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer

Key features - Fridge section

- Left hinged, reversible door
- Height adjustable front feet
- Door opening: No side clearance needed at all. Full access to all drawers, door opening angle 90°.
- 220 - 240 V

Dimension and installation

- Dimensions: 176 cm H x 60 cm W x 65 cm D

Key features - Freezer section

Design features

Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Dimension and installation

Additional features

Performance and Consumption



- EU19_EEK_D: E
- Total Volume : 324 l
- Net Fridge Volume : 324 l
- Net Freezer Volume : 0 l
- Annual Energy Consumption: 113 kWh/a
- Climate Class: SN-T

Series 4, free-standing fridge, 176 x 60 cm, Stainless steel look KSV33VLEP

	a	b	c	d	e	f
KSW36, GSD36	187					
KSV36, KSF36, GSN36, GSV36	186					
KSV33, GSN33, GSV33	176	60	65	58	60	119.5
KSV29, GSN29, GSV29	161					
GSV24	146					
GSN51	161					
GSN54	176	70	78	70	70	142
GSN58	191					

- a Height
 b Width
 c Depth with closed door w/o handle and w/o distance part
 d Depth of cabinet w/o distance part
 e Width with open door w/o handle
 f Depth with open door w/o handle w/o distance part

measurements in cm



measurements in mm