

Series 6, Built-in double oven MBA5575S0B



HEZ327000 Pizza stone, HEZ32WA00 Wireless food thermometer, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 Universal pan, non-stick ceramic coated, HEZ538000 1fold telescopic rail, level independent, HEZ617000 Pizza pan, enamelled, HEZ629070 Air Fry & Grill tray, HEZ631070 Baking tray, enamelled, HEZ632070 Multipurpose pan, enamelled, HEZ634000 Baking and roasting grid, HEZ664000 Baking and roasting grid, steam, HEZ915003 Glass roasting dish, 5,4 L, HZ629070 Air Fry & Grill tray, HZ638000 Full ext rails, level independent

- **Meatprobe:** measures the optimal core temperature of the roast.
- **3D Hotair:** even heat distribution for perfect results on up to three levels.
- **AutoPilot 10:** every dish is a perfect success thanks to 10 pre-set automatic programmes.
- **White LCD display control :** easy-to-use thanks to direct access to additional functions.
- **Pop-out controls:** Make the front of the oven easy to clean and give it a sleek look.

Built-in / Free-standing: Built-in
Integrated Cleaning system: No
Dimensions: 888x594x550 mm
Dimensions of the packed product (HxWxD): 960 x 660 x 690 mm
Control Panel Material: Stainless steel
Door Material: Glass
Net weight: 53.4 kg
Usable volume (of cavity) - cavity 1: 71 l
Cooking method: Full width grill, Hotair gentle, Hot Air, Conventional heat, Pizza setting, Bottom heat, Hot air grilling
Oven control: mechanical
Number of interior lights: 1
EAN code: 4242005057627
Energy efficiency rating: A
Energy consumption per cycle conventional (2010/30/EC): 1.02 kWh/cycle
Energy consumption per cycle forced air convection (2010/30/EC): 81 kWh/cycle
Energy efficiency class (2010/30/EC) - cavity 2: B
Energy consumption per cycle conventional - cavity 2 (2010/30/EC): 83 kWh/cycle
Energy efficiency index (2010/30/EC): 95.3 %
Energy efficiency index cavity 2 (2010/30/EC): 120.3 %
Connection rating: 5900 W
Fuse protection: 32 A
Voltage: 220-240 V
Frequency: 50 Hz
Plug type: no plug (electrical connection by electrician), fixed connection (electrical connection by electrician)
Included accessories cavity 1: 3 x combination grid, 1 x universal pan



Series 6, Built-in double oven MBA5575S0B

Design

- LCD-display control (white)
- Rotary dial, Retractable control dials, round
- Straight bar handle

Features

- Electronic clock timer
- Control panel lock
- Residual heat indicator
- Cavity volume: 71 litre capacity
- EcoCleanDirect : ceiling, back panel, side liners
- EcoClean Direct programme
- AutoPilot, 10
- Single-point meat probe
- 5 shelf positions
- Temperature range 50 °C - 275 °C
- Fast pre-heating function

Accessories

- 1 x universal pan, 3 x combination grid
- 1 set of level independent telescopic rails, Stop function

Performance/technical information

- Total connected load electric: 5.9 KW
- Nominal voltage: 220 - 240 V
- Appliance dimension (hxwxd): 888 mm x 594 mm x 550 mm
- Niche dimension (hxwxd): 875 mm - 888 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

Series 6, Built-in double oven MBA5575S0B

measurements in mm

