

**Serie | 6, semi-integrated dishwasher,
60 cm, Stainless steel
SMI68TS06E**



A+++

Rely on PerfectDry for excellent drying results on challenging dishes, glassware and even plastic.

Technical Data

Water consumption (l) :	9.5
Built-in / Free-standing :	Built-in
Height of removable worktop (mm) :	0
Dimensions of the product (HxWxD) :	815 x 598 x 573
Required niche size for installation (HxWxD) :	815-875 x 600 x 550
Depth with open door 90 degree (mm) :	1150
Adjustable feet :	Yes - front only
Maximum adjustability feet (mm) :	60
Net weight (kg) :	47.830
Gross weight (kg) :	50.0
Connection Rating (W) :	2400
Current (A) :	10
Voltage (V) :	220-240
Frequency (Hz) :	50; 60
Length electrical supply cord (cm) :	175
Plug type :	Gardy plug w/ earthing
Length inlet hose (cm) :	165
Length outlet hose (cm) :	190
EAN code :	4242002959900
Number of place settings :	14
Energy efficiency rating :	A+++
Energy consumption annual (kWh/annum) - NEW (2010/30/EC) :	237.00
Energy consumption (kWh) :	0.83
Power consumption in left-on mode (W) - NEW (2010/30/EC) :	0.50
Power consumption in off-mode (W) - NEW (2010/30/EC) :	0.50
Water consumption annual (l/annum) - NEW (2010/30/EC) :	2660
Drying performance :	A
Reference programme :	Eco
Total cycle time of reference programme (min) :	195
Noise level (dB(A) re 1 pW) :	42
Installation typology :	Half-integrated

Optional accessories

- SMZ2044 : Plinth casing and door, stainless steel
- SMZ5003 : Retractable hinge f. high corpus dimens.
- SMZ5035 : Decor conversion kit, stainless steel



Serie | 6, semi-integrated dishwasher, 60 cm, Stainless steel SMI68TS06E

Rely on PerfectDry for excellent drying results on challenging dishes, glassware and even plastic.

Performance

- Noise level (silence programme): 40 dB(A) re 1 pW

Programmes/functions

- 8 programmes: Intensiv 70 °C, Auto 45-65 °C, Eco 50 °C, Silence 50 °C, Short 60 °C, Glas 40 °C, Schnell 45 °C, Vorspülen
- 4 special options: Remote Start, VarioSpeedPlus, HygienePlus, Extra Dry
- Special program 1: Machine Care
- 6 temperatures
- Zeolith - Energy efficient and perfect drying results

Flexible design elements

- VarioFlex Pro basket system Basket system with red coloured touchpoints
- VarioDrawer
- 3 stage Rackmatic height-adjustable top basket
- Lower rack handle: BO s/s-middle grey-red
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket
- Upper rack cup shelf
- Glass rack in bottom basket


Innovations and technology

- Home Connect ready on WLAN
- Heat exchanger - Hygienic and efficient drying
- DosageAssist detergent dispenser
- Automatic detergent detection
- ActiveWater hydraulic water system
- EcoSilence BLDC drive
- AquaSensor III, Load Sensor
- AquaMix - Glass protection system
- AquaStop: Bosch warranty in case of water damage - for the lifetime of the appliance. Please find warranty terms under <https://www.bosch-home.co.uk/customer-service/care-protection-and-parts/additional-warranties>
- Curved spray arms

Design features

- Touch control
- Real-time clock - actual time is displayed
- Control buttons on front of fascia
- water inlet indicator
- Electronic time delay: 1-24 hours
- Black display with white text
- Tamperproof controls
- Stainless steel interior
- Display colour: Red LED indicators
- LED salt refill indicator, LED rinse aid refill indicator
- Alternating spray arms
- steam protection plate
- Self-cleaning filter system with 3 piece corrugated filter
- Front-adjustable rear foot
- Dimensions (HxWxD): 81.5 x 59.8 x 57.3cm

**Serie | 6, semi-integrated dishwasher, 60 cm,
Stainless steel
SMI68TS06E**



() Werte mit Verlängerungssatz

