

## Series 4, Washing machine, front loader, 8 kg, , Silver inox WAN282X1GB



### Optional accessories

|          |  |
|----------|--|
| WMZ2200  | Floor securing component                 |
| WMZ2381  | Extension for cold water inlet /Aquastop |
| WMZPW20W | Platform with pull-out, washer, cubic    |

## Automatic washing machine with EcoSilence Drive™: quiet operation and durability that you can rely on.

- **EcoSilence Drive™**: quiet and energy-efficient drive, with a 10-year warranty.
- **AllergyPlus**: developed for allergy sufferers and people with sensitive skin.
- **Speed Perfect**: get the perfect clean in up to 65% less time.
- **ActiveWater Plus**: For highly efficient use of water even with smaller loads thanks to automatic load detection.
- **Easy-to-use LED display with touch control and many additional functions like start delay and remaining time.**

### Technical Data

|   |                         |
|---|-------------------------|
| Energy Efficiency Class:  | .....C                  |
| Weighted energy consumption in kWh per 100 washing cycles of eco 40-60 programme: | .....63 kWh             |
| Maximum capacity in kg:   | .....8.0 kg             |
| The water consumption of the eco programme in liters per cycle:                   | 48 l                    |
| Duration of eco 40-60 programme in hours and mins at rated capacity:              | .....3:35 h             |
| Spin-drying efficiency class of eco 40-60 programme:                              | .....B                  |
| Airborne acoustical noise emission class:   | .....B                  |
| Airborne acoustical noise emissions :   | .....74 dB(A) re 1 pW   |
| Built-in / Free-standing:   | .....Free-standing      |
| Height of removable worktop:  | .....-2 mm              |
| Dimensions of the product:  | .....848 x 598 x 550 mm |
| Net weight:   | .....68.2 kg            |
| Connection rating:  | .....2300 W             |
| Fuse protection:  | .....10 A               |
| Voltage:  | .....220-240 V          |
| Frequency:  | .....50 Hz              |
| Length electrical supply cord:  | .....210.0 cm           |
| Door hinge:   | .....Left               |
| Wheels:   | .....No                 |
| EAN code:   | .....4242005221790      |
| Installation typology:  | .....Free-standing      |



4 242005 221790

## **Series 4, Washing machine, front loader, 8 kg, , Silver inox WAN282X1GB**

### **Automatic washing machine with EcoSilence Drive™: quiet operation and durability that you can rely on.**

<sup>2</sup> Energy consumption in kWh per 100 cycles (in programme Eco 40-60)

<sup>3</sup> Weighted water consumption in litres per cycle (in programme Eco 40-60)

<sup>4</sup> Duration of Eco 40-60 programme

\*\* Values are rounded.

#### **Performance**

- Energy Efficiency Class<sup>1</sup>: C
- Energy<sup>2</sup> / Water<sup>3</sup>: 63 kWh / 48 litres
- Load capacity: 1 - 8 kg
- Programme duration<sup>4</sup>: 3:35 h:min
- Spin drying efficiency class: B
- Spin speed<sup>\*\*</sup>: 400 - 1400 rpm
- Noise level: 74 dB (A) re 1 pW
- Noise efficiency class: B

#### **Programmes/functions**

- Touch control buttons: Prewash, Rinse Plus, Ready in, Temperature selection, SpeedPerfect, start/pause with reload function, Spin speed reduction
- Standard programmes: cottons, easy care, delicates, wool hand wash
- Special programmes: Rinse, Dark Wash, Shirts, SportsWear, Mixed Load, Allergy +, Super Quick 15/30, Quiet Wash, Wool/Handwash, Delicate/Silk programme
- Sensor electronics with safeguard monitoring system that adjusts load and distribution and programme settings to protect clothes

#### **Key features**

- Fully electronic control dial for all wash and special programmes
- SpeedPerfect: perfectly clean in up to 65% less time.
- Reload function: Be flexible in adding laundry items even after start of the wash cycle.
- EcoSilence drive with 10 year warranty
- AntiVibration Design - for more stability and quietness

#### **Additional features**


- Large display for programme progress indication, spin speed, remaining time, 24 hour end time delay and load recommendation
- Aqua Protection
- Foam detection system
- Divider for Liquid Detergent
- Child lock
- Buzzer to indicate the end of cycle

#### **Technical Information**


- Slide-under installation
- Drum volume: 55 litres
- Large Silver-inox, black-grey door with 180° opening and 32cm porthole opening
- Dimensions (H x W): 84.8 cm x 59.8 cm
- Appliance depth: 55.0 cm
- Appliance depth incl. door: 60.0 cm
- Appliance depth with open door: 101.7 cm

<sup>1</sup> Scale of Energy Efficiency Classes from A to G

**Series 4, Washing machine, front  
loader, 8 kg, , Silver inox  
WAN282X1GB**



measurements in mm



measurements in mm