

**Series 4, wall-mounted cooker hood,  
90 cm, Flat black  
DWEA98H60I**



DWZ3OB6N1 Inner duct cover 305 mm

**The wall-mounted chimney hood: mount it  
on the wall, giving you complete freedom  
in your kitchen planning.**

- For fast and effective extraction, the intensive speed setting removes strong kitchen odours quickly and effectively.

Typology: .....Wall-mounted  
 Length electrical supply cord: ..... 180.0 cm  
 Height of product, without chimney: ..... 672 mm  
 Net weight: ..... 25.8 kg  
 Type of control: .....Electronic  
 Number of speed settings: ..... 3-stages + intensive setting  
 Max. air extraction: ..... 730 m<sup>3</sup>/h  
 Number of lights: ..... 2  
 Noise level: ..... 67 dB(A) re 1pW  
 Diameter of air outlet: ..... 180 mm  
 Odour filter: ..... No  
 Operating Mode: ..... Air extraction only  
 Optional accessories: ..... DWZ3OB6N1  
 Total power of the lamps: ..... 3 W  
 Voltage: ..... 230 V  
 Frequency: ..... 50 Hz  
 Plug type: ..... India plug (6 Ampere)  
 Installation typology: .....Wall-mounted  
 Material body: ..... zinc plated  
 Plug type: ..... India plug (6 Ampere)  
 Dimensions of the product, with chimney (if exists) (in): .....x x  
 Dimensions of the packed product: ..... 25.39 x 27.55 x 39.56  
 Net weight: ..... 57.000 lbs  
 Gross weight: ..... 77.000 lbs  
 Motor location: ..... Integrated motor in hood chimney  
 No-return airflow flap: ..... Yes  
 Length electrical supply cord: ..... 180.0 cm  
 Dimensions of the product, with chimney (if exists): ..... 672 x 900.0 x 494.0 mm  
 Dimensions of the packed product (HxWxD): ... 645 x 700 x 1005 mm  
 Net weight: ..... 25.8 kg  
 Gross weight: ..... 35.0 kg  
 Delay Shut off modes: ..... 10 min



**Series 4, wall-mounted cooker hood,  
90 cm, Flat black  
DWEA98H60I**

**The wall-mounted chimney hood: mount it  
on the wall, giving you complete freedom  
in your kitchen planning.**

---

**Variant**

- Wall mounted hood
- Glass common design

**Design**

- Touch control with LED

**Technical information**

- 4 fan speed settings (three plus intense)
- 2 x LED 1,5W
- Suitable for ducted operation only only

**Comfort**


- Noise min./max. Normal Level: 57/67 dB
- Light Intensity: 65 lux
- Colour Temperature: 8000 K

**Dimensions:**


- 90 cm flat black Glass common design hood
- Diameter pipe Ø 180 mm (Ø 180 mm enclosed)

**Series 4, wall-mounted cooker hood,  
90 cm, Flat black  
DWEA98H60I**

Measurements in mm




Measurements in mm



A: From upper edge of pan support

Measurements in mm



A: Exhaust-air outlet  
B: Socket  
C: From upper edge of pan support