

Series 2, wall-mounted cooker hood, 90 cm, Matt black DWH098D60I





DHZ5467 Recirculating kit
DHZ5468 Ducting Kit
DHZ5469 Flue Duct Extension with Bracket_Black
DHZ5477 Active carbon filter

Excellent in performance – also comes with an integrated glass to add a modern touch to your kitchen.

- Converts to Recirculation Mode with Accessory Kit (Separate Purchase Required)
- Absorbs odors with Charcoal Replacement Filters (Available for sale)
- Ducted or Non-ducted Options

| Length electrical supply cord: | Typology:Wall-mounte | ed |
|--|---|-----|
| Max. air recirculation: | Length electrical supply cord:150.0 cr | m |
| Number of lights: | Net weight: | kg |
| Odour filter: No Operating Mode: Convertible Optional accessories: DHZ5467, DHZ5468, DHZ5469, DHZ5477 Type of lamps used: LED Total power of the lamps: 2 W Clean filter reminders: No Voltage: S0 Hz Plug type: India plug (6 Ampere) Installation typology: Wall-mounted Plug type: India plug (6 Ampere) Dimensions of the product, with chimney (if exists) (in): x x Dimensions of the packed product: 24.80 x 15.94 x 38.18 Net weight: 49.000 lbs Gross weight: 49.000 lbs Motor location: Integrated motor in hood chimney No-return airflow flap: No Length electrical supply cord: 150.0 cm Dimensions of the packed product (HxWxD):630 x 405 x 970 mm Net weight: | Max. air recirculation: | /h |
| Operating Mode: Convertible Optional accessories:DHZ5467, DHZ5468, DHZ5469, DHZ5477 Type of lamps used: LED Total power of the lamps: 2 W Clean filter reminders: No Voltage: So Hz Plug type: India plug (6 Ampere) Installation typology: Wall-mounted Plug type: India plug (6 Ampere) Dimensions of the product, with chimney (if exists) (in): x x Dimensions of the packed product: 24.80 x 15.94 x 38.18 Net weight: 43.000 lbs Gross weight: 49.000 lbs Motor location: Integrated motor in hood chimney No-return airflow flap: No Length electrical supply cord: 150.0 cm Dimensions of the product, with chimney (if exists):650 x 898.0 x 460.0 mm Dimensions of the packed product (HxWxD):630 x 405 x 970 mm Net weight: | Number of lights: | . 2 |
| Optional accessories:DHZ5467, DHZ5468, DHZ5469, DHZ5477 Type of lamps used: | Odour filter: | No |
| Type of lamps used: LED Total power of the lamps: 2 W Clean filter reminders: No Voltage: | Operating Mode:Convertible | le |
| Total power of the lamps: 2 W Clean filter reminders: No Voltage: 230 V Frequency: 50 Hz Plug type: India plug (6 Ampere) Installation typology: Wall-mounted Plug type: India plug (6 Ampere) Dimensions of the product, with chimney (if exists) (in): x x Dimensions of the packed product: 24.80 x 15.94 x 38.18 Net weight: 43.000 lbs Gross weight: 49.000 lbs Motor location: Integrated motor in hood chimney No-return airflow flap: No Length electrical supply cord: 150.0 cm Dimensions of the product, with chimney (if exists):650 x 898.0 x 460.0 mm Dimensions of the packed product (HxWxD):630 x 405 x 970 mm Net weight: | Optional accessories:DHZ5467, DHZ5468, DHZ5469, DHZ547 | 77 |
| Clean filter reminders: | Type of lamps used: LE | ΞD |
| Voltage: | Total power of the lamps:2 | W |
| Frequency: | Clean filter reminders: | ٥V |
| Plug type: | Voltage: | ٧ |
| Installation typology: | Frequency: | Ηz |
| Plug type: | Plug type: India plug (6 Ampere | e) |
| Dimensions of the product, with chimney (if exists) (in): | Installation typology:Wall-mounte | ed |
| Dimensions of the packed product: | Plug type: India plug (6 Ampere | e) |
| Net weight: | Dimensions of the product, with chimney (if exists) (in):x | X |
| Gross weight: | Dimensions of the packed product: 24.80 x 15.94 x 38.1 | 18 |
| Motor location: | Net weight:43.000 lb | bs |
| No-return airflow flap: | Gross weight: | bs |
| Length electrical supply cord: | Motor location:Integrated motor in hood chimne | еу |
| Dimensions of the product, with chimney (if exists):650 x 898.0 x 460.0 mm Dimensions of the packed product (HxWxD): 630 x 405 x 970 mm Net weight: | No-return airflow flap: | VО |
| 460.0 mm Dimensions of the packed product (HxWxD): 630 x 405 x 970 mm Net weight:19.7 kg | Length electrical supply cord: | m |
| Dimensions of the packed product (HxWxD): 630 x 405 x 970 mm Net weight:19.7 kg | Dimensions of the product, with chimney (if exists):650 x 898.0 | Х |
| Net weight: | 460.0 mm | |
| 3 | Dimensions of the packed product (HxWxD): 630 x 405 x 970 mi | m |
| Gross weight: | Net weight:19.7 k | kg |
| | Gross weight: | kg |





Series 2, wall-mounted cooker hood, 90 cm, Matt black DWH098D60I

Excellent in performance – also comes with an integrated glass to add a modern touch to your kitchen.

Design

- Chromed Push buttons
- Chromed logo strip on the chimney

Key Functions

- Maximum extraction rate according to EN 61591: 705 m³/h
- Maximum blower performance: 745 m3/h (freeblowing)

Comfort

- 2 x 2 W LED spot 1W
- Quiet operations at 73 dB (re 1 pW) at speed setting 3

Technical information

- For wall mounting only
- Suitable for ducted or recirculating operation only
- Dimensions of the product, with chimney (if exists)
- (HxWxD mm):650 x 898 x 460
- Minimum clearance to gas/electric cook top: 750 mm



Series 2, wall-mounted cooker hood, 90 cm, Matt black DWH098D60I

