

**Series 4, wall-mounted cooker hood,
90 cm, Flat black
DWHA98G60I**



DWZ3OX6N1 Inner duct cover 320 mm

The wall-mounted chimney hood: mount it on the wall, giving you complete freedom in your kitchen planning.

- For fast and effective extraction, the intensive speed setting removes strong kitchen odours quickly and effectively.
- Silence: maximal extractor performance with little noise

| | | |
|---|-------|----------------------------------|
| Typology: | | Wall-mounted |
| Length electrical supply cord: | | 180.0 cm |
| Height of the chimney: | | 105 mm |
| Height of product, without chimney: | | 520 mm |
| Net weight: | | 21.8 kg |
| Number of speed settings: | | 3-stages + intensive setting |
| Max. air extraction: | | 630 m ³ /h |
| Number of lights: | | 2 |
| Noise level: | | 65 dB(A) re 1pW |
| Diameter of air outlet: | | 180 mm |
| Odour filter: | | No |
| Operating Mode: | | Air extraction only |
| Optional accessories: | | DWZ3OX6N1 |
| Total power of the lamps: | | 3 W |
| Clean filter reminders: | | No |
| Voltage: | | 230 V |
| Frequency: | | 50 Hz |
| Plug type: | | India plug (6 Ampere) |
| Installation typology: | | Wall-mounted |
| Material body: | | Stainless steel |
| Plug type: | | India plug (6 Ampere) |
| Dimensions of the product, with chimney (if exists) (in): | | x x |
| Dimensions of the packed product: | | 23.62 x 23.81 x 38.18 |
| Net weight: | | 48.000 lbs |
| Gross weight: | | 62.000 lbs |
| Motor location: | | Integrated motor in hood chimney |
| No-return airflow flap: | | Yes |
| Length electrical supply cord: | | 180.0 cm |
| Dimensions of the product, with chimney (if exists): | | 520 x 900.0 x 500.0 mm |
| Dimensions of the packed product (HxDxW): | | 600 x 605 x 970 mm |
| Net weight: | | 21.8 kg |
| Gross weight: | | 28.0 kg |



4 242005 288830

**Series 4, wall-mounted cooker hood,
90 cm, Flat black
DWHA98G60I**

**The wall-mounted chimney hood: mount it
on the wall, giving you complete freedom
in your kitchen planning.**

Variant

- Wall mounted hood
- Glass common design

Design

- Touch control with LED

Technical information

- 4 fan speed settings (three plus intense)
- 2 x LED 1,5W
- Suitable for ducted operation only only

Comfort


- Noise min./max. Normal Level: 55/65 dB
- Light Intensity: 83 lux
- Colour Temperature: 8000 K

Dimensions:

- 90 cm flat black Glass common design hood
- Diameter pipe Ø 180 mm (Ø 180 mm enclosed)


**Series 4, wall-mounted cooker hood,
90 cm, Flat black
DWHA98G60I**

Measurements in mm



A: From upper edge of pan support

Measurements in mm



A: Exhaust-air outlet
B: Socket
C: From upper edge of pan support

Measurements in mm

