

**Serie | 4, Wall mounted hoods, 90 cm,  
Black  
DWK098G60I**



**Black, stylish and sophisticated – this hood exudes robust performance, and adds a contemporary and professional vibe to any kitchen.**

- **Size:** Professional size 90 cm wide for intense cooking zones.
- **Extraction rate:** Impressive power with 840 qmh ensures effective air extraction.
- **Illumination:** LED lighting is highly energy efficient and provides attractive, white and even lighting for the hob area.
- **Inclined design:** Non-obstructive shape with easy to clean glass surfaces.

**Technical Data**

Typology :	Chimney
Height of product, without chimney (mm) :	340
Net weight (kg) :	18.548
Type of control :	Electronic
Boost position output recirculating (m3/h) :	395
Maximum output recirculating air (m3/h) :	385
Boost position air extraction (m <sup>3</sup> /h) :	840
Number of lights :	2
Diameter of air outlet (mm) :	120 / 150
Grease filter material :	Washable aluminium
Odour filter :	No
Operating Mode :	Convertible
Optional accessories :	DHZ5466, DHZ5478, DHZ5650
Type of lamps used :	LED
Total power of the lamps (W) :	1
Grease filter type :	Multilayer
Voltage (V) :	230
Frequency (Hz) :	50
Plug type :	India plug (6 Ampere)
Installation typology :	Wall-mounted
Material body :	Glass
Plug type :	India plug (6 Ampere)
Dimensions of the product, with chimney (if exists) (in) :	/ x x
Dimensions of the packed product (in) :	17.51 x 21.96 x 39.44
Net weight (lbs) :	41
Gross weight (lbs) :	51
Motor location :	Integrated motor in hood chimney
No-return airflow flap :	No
Dimensions of the product, with chimney (if exists) (mm) :	500 x 900 x 480
Dimensions of the packed product (HxWxD) (mm) :	445 x 558 x 1002
Net weight (kg) :	18.548
Gross weight (kg) :	23.0



## Serie | 4, Wall mounted hoods, 90 cm, Black DWK098G60I

**Black, stylish and sophisticated – this hood exudes robust performance, and adds a contemporary and professional vibe to any kitchen.**

---

### **Design**

- Straight glass and stainless steel chimney for wall mounting
- Black Glass surfaces
- Electronic touch control
- Chromed logo on the screen

### **Key Functions**

- Maximum extraction rate according to EN 61591: 840 m<sup>3</sup>/h
- Maximum blower performance: 905 m<sup>3</sup>/h (freeblowing)
- 4 fan speed settings (three plus intense)

### **Comfort**

- 2 x 2 W LED lighting
- Multi-layer aluminium grease filters
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal use: 71 dB

### **Technical Information**

- For wall mounting only
- Ducted operation only
- Dimensions of the product, with chimney (if exists) (HxWxD mm): 500 x 900 x 480
- Minimum clearance to gas/electric cook top: 750 mm
- Length electrical supply cord: 110 cm
- Ducting connection: 150mm/120mm diameter

*\* In accordance with the EU-Regulation No 65/2014*

**Serie | 4, Wall mounted hoods, 90 cm, Black  
DWK098G60I**

