

**Series 4, wall-mounted cooker hood,  
60 cm, Flat black  
DWKA68G60I**



DWZ3OK6N1 Inner duct cover 330 mm

**The wall-mounted chimney hood: mount it on the wall, giving you complete freedom in your kitchen planning.**

- For fast and effective extraction, the intensive speed setting removes strong kitchen odours quickly and effectively.

Typology:	.....	Wall-mounted
Length electrical supply cord:	.....	180.0 cm
Net weight:	.....	23.2 kg
Type of control:	.....	Electronic
Number of speed settings:	.....	3-stages + intensive setting
Max. air extraction:	.....	750 m <sup>3</sup> /h
Number of lights:	.....	1
Noise level:	.....	64 dB(A) re 1pW
Diameter of air outlet:	.....	180 mm
Odour filter:	.....	No
Operating Mode:	.....	Air extraction only
Optional accessories:	.....	DWZ3OK6N1
Type of lamps used:	.....	LED
Total power of the lamps:	.....	3 W
Voltage:	.....	230 V
Frequency:	.....	50 Hz
Plug type:	.....	India plug (6 Ampere)
Installation typology:	.....	Wall-mounted
Material body:	.....	Stainless steel, Glass
Plug type:	.....	India plug (6 Ampere)
Dimensions of the product, with chimney (if exists) (in):	.....	x
Dimensions of the packed product:	.....	20.78 x 23.93 x 28.34
Net weight:	.....	51.000 lbs
Gross weight:	.....	57.000 lbs
Motor location:	.....	Integrated motor in hood chimney
No-return airflow flap:	.....	Yes
Length electrical supply cord:	.....	180.0 cm
Dimensions of the product, with chimney (if exists):	....	505 x 600.0 x 415.0 mm
Dimensions of the packed product (HxDxW):	.....	528 x 608 x 720 mm
Net weight:	.....	23.2 kg
Gross weight:	.....	26.0 kg
Delay Shut off modes:	.....	10 min



**Series 4, wall-mounted cooker hood,  
60 cm, Flat black  
DWKA68G60I**

**The wall-mounted chimney hood: mount it  
on the wall, giving you complete freedom  
in your kitchen planning.**

---

**Variant**

- Wall mounted hood
- Inclined glass common design

**Design**

- Touch control with LED

**Technical information**

- 4 fan speed settings (three plus intense)
- 1 x LED spot 3W
- Suitable for ducted operation only only

**Comfort**


- Noise min./max. Normal Level: 55/64 dB
- Light Intensity: 75 lux
- Colour Temperature: 4000 K

**Dimensions:**

- 60 cm flat black Inclined glass common design hood
- Diameter pipe Ø 180 mm (Ø 180 mm enclosed)

**Series 4, wall-mounted cooker hood,  
60 cm, Flat black  
DWKA68G60I**

Measurements in mm




**A:** Exhaust-air outlet

**B:** Socket


**C:** From upper edge of pan support

Measurements in mm



**A:** From upper edge of pan support

Measurements in mm



**A:** From upper edge of pan support

Measurements in mm

