

**Series 4, wall-mounted cooker hood,  
60 cm, Flat black  
DWKA68H60I**



DWZ3OK6N1 Inner duct cover 330 mm

**The wall-mounted chimney hood: mount it  
on the wall, giving you complete freedom  
in your kitchen planning.**

- **For fast and effective extraction, the intensive speed setting removes strong kitchen odours quickly and effectively.**

Typology: .....Wall-mounted  
 Height of product, without chimney: ..... 505 mm  
 Net weight: ..... 21.3 kg  
 Type of control: .....Electronic  
 Number of speed settings: ..... 3-stages + intensive setting  
 Max. air extraction: ..... 750 m<sup>3</sup>/h  
 Number of lights: ..... 1  
 Noise level: ..... 64 dB(A) re 1pW  
 Diameter of air outlet: ..... 180 mm  
 Odour filter: ..... No  
 Operating Mode: ..... Air extraction only  
 Optional accessories: ..... DWZ3OK6N1  
 Type of lamps used: ..... LED  
 Total power of the lamps: ..... 3 W  
 Grease filter type: ..... Multilayer  
 Voltage: ..... 230 V  
 Frequency: ..... 50 Hz  
 Plug type: ..... India plug (6 Ampere)  
 Installation typology: .....Wall-mounted  
 Material body: ..... Stainless steel, Glass  
 Plug type: ..... India plug (6 Ampere)  
 Dimensions of the product, with chimney (if exists) (in): .....x x  
 Dimensions of the packed product: ..... 20.78 x 23.93 x 28.34  
 Net weight: .....47.000 lbs  
 Gross weight: ..... 57.000 lbs  
 Motor location: ..... Integrated motor in hood chimney  
 No-return airflow flap: ..... Yes  
 Dimensions of the product, with chimney (if exists): .....505 x 600.0 x 415.0 mm  
 Dimensions of the packed product (HxWxD): ..... 528 x 608 x 720 mm  
 Net weight: ..... 21.3 kg  
 Gross weight: ..... 26.0 kg  
 Delay Shut off modes: ..... 10 min





**Series 4, wall-mounted cooker hood,  
60 cm, Flat black  
DWKA68H60I**

**The wall-mounted chimney hood: mount it  
on the wall, giving you complete freedom  
in your kitchen planning.**

---

**Variant**

- Wall mounted hood
- Inclined glass common design

**Design**

- Touch control with LED

**Technical information**

- 4 fan speed settings (three plus intense)
- 1 x LED spot 3W
- Suitable for ducted operation only only

**Comfort**


- Noise min./max. Normal Level: 55/64 dB
- Light Intensity: 75 lux
- Colour Temperature: 4000 K

**Dimensions:**

- 60 cm flat black Inclined glass common design hood
- Diameter pipe Ø 180 mm (Ø 180 mm enclosed)


**Series 4, wall-mounted cooker hood,  
60 cm, Flat black  
DWKA68H60I**

Measurements in mm




**A:** Exhaust-air outlet  
**B:** Socket  
**C:** From upper edge of pan support

Measurements in mm



**A:** From upper edge of pan support

Measurements in mm



**A:** From upper edge of pan support

Measurements in mm

