

Serie | 4

KDN43VS30I VitaFresh, 3 Star Rating
347 l capacity, 2-door Top Freezer Refrigerator



Included accessories
 2 x cold accumulator
 1 x egg tray

Keeps food fresh for longer and yet at a lower energy consumption

- 3-Star Rating keeps running costs low by using less energy than a conventional 2-star refrigerator
- VitaFresh reduces wastage as vegetables, fruits and milk are kept fresh for longer
- Cooling retention ensures food stays fresh, and beverages stay chilled for up to 16 hours during a power cut
- DoorAirflow with MultiAirflow help keep masala sauce and bottled water at the door fresh and chilled for longer
- SuperCooling quickly chills food and beverages with a touch of a button

Technical Data

Built-in / Free-standing :	Freestanding
Number of compressors :	1
Number of independent cooling systems :	2
Width of the product (mm) :	652
Height (mm) :	1754
Depth of the product :	648
Net weight (kg) :	75.317
Door panel options :	Not possible
Door hinge :	Right
Number of Adjustable Shelves in fridge compartment :	4
Shelves for Bottles :	No
Frost free system :	Fridge and freezer
Interior ventilator :	No
Reversible Door Hinge :	No
Length electrical supply cord (cm) :	175
Noise level (dB) :	44
Multi-Flow Air Tower :	Yes
Fast cooling switch :	Yes
Fast freezing switch :	Yes
Number of Door Bins - Refrigerator :	3
Tilt-out door bins in fridge :	Yes
Gallon Storage :	Yes
Number of Gallon storage :	1
Motorized Shelf :	No
Material of the shelves :	Glas, Safety glass
Door opened indicator freezer :	No
Automatic motor-driven ice-maker :	No
Connection Rating (W) :	160
Current (A) :	6
Voltage (V) :	220-240
Frequency (Hz) :	50
Storage Period in Event of Power Failure (h) :	16
Approval certificates :	CE, VDE
Main colour of product :	Silver
Door panel options :	Not possible
Noise level (dB) :	44
Energy Star Qualified :	No
Approval certificates :	CE, VDE
Plug type :	India plug (6 Ampere)
Required cutout/niche size for installation (in) :	x x
Dimensions of the packed product (in) :	71.25 x 27.67 x 28.89
Net weight (lbs) :	166
Gross weight (lbs) :	184



Serie | 4 Fridge-Freezer-Combination

KDN43VS30I VitaFresh, 3 Star Rating 347 l capacity, 2-door Top Freezer Refrigerator

Keeps food fresh for longer and yet at a lower energy consumption

General Data

- Gross Capacity: 347 l
- Net Capacity: 315 l
- Gross Capacity Fridge: 266 l
- Net Capacity Fridge: 266 l
- Gross Capacity Freezer: 81 l
- Net Capacity Freezer: 67 l
- Gross Weight: 83.5 kg
- Net Weight: 75.317 kg
- Dimensions (HxWxD): 175.4 cm x 65.2 cm x 64.82 cm
- Energy Efficiency: 3 Star Rating
- Energy Consumption: 240 kWh/yr
- Noise level: 44 dB
- freestanding >= 60cm width

Freshness System

- 1 VitaFresh compartment for Vegetables and Fruits with humidity slider and rippled base
- AirFreshFilter - kills bacteria and removes odour

Cooling

- DoorAirFlow
- MultiAirFlow
- Cooling Retention in Power Failure: 16 h (for both Fridge and Freezer)
- Super Cooling with automatic switch off

Comfort and Safety

- Full no frost - never defrost again
- Electronic Temperature Control
- Rotary Freezer Control
- Height adjustable front feet, wheels at the back
- Door Alarm
- Child Lock

Fridge Compartment

- 5 Safety Glass Shelves of which 4 are height adjustable
- 3 Door Bins, 1 of them with bottle holder
- LED at the top

Freezer Compartment

- 1 Freezer Safety Glass Shelf
- 2 Door Bins
- IceTwister
- Freezing Capacity: 6 kg/ 24h

Design

- Body Colour: Chrome Inox-metallic
- Door Colour: Silver
- External Vertical Handle

Technical Information

- Low Voltage Startability: 135 - 290 V
- Nominal voltage: 220 - 240 V
- Refrigerant: EcoFriendly R600a

Accessories

- 1 x egg tray
- User Manual English

Serie | 4 Fridge-Freezer-Combination

KDN43VS30I VitaFresh, 3 Star Rating 347 l capacity, 2-door Top Freezer Refrigerator

Appliance name	a	b	c	d	e	f	g	h
KDN206 (int. handle)	1552	605	629	563	611	1185	629	637
KDN206 (ext. handle)	1552	605	629	563	650	1185	668	637
KDN209 (int. handle)	1606	652	647	580	659	1249	647	656
KDN209 (ext. handle)	1606	652	647	580	698	1249	686	656
KDN230 (int. handle)	1679	605	629	563	611	1185	629	637
KDN230 (ext. handle)	1679	605	629	563	650	1185	668	637
KDN442 (int. handle)	1681	652	647	580	659	1249	647	656
KDN442 (ext. handle)	1681	652	647	580	698	1249	686	656
KDN443 (int. handle)	1754	652	647	580	659	1249	647	656
KDN443 (ext. handle)	1754	652	647	580	698	1249	686	656

