

**Series 6, fully-integrated dishwasher,  
60 cm  
SMD6ZCX50E**



**PerfectDry based on Patented Zeolith technology: perfect drying results with less energy usage even on difficult to dry dishes.**

- **Home Connect:** home appliances with smart connectivity for an easier everyday life.
- **Open Assist:** a light press of the finger is enough on the door front to open the dishwasher door (handle-less opening)
- **Extra Clean Zone:** extra cleaning for items in your top basket.
- **Timelight Projection:** The Innovative timelight smartly projects the remaining wash cycle time onto the floor
- **Max Flex Pro baskets:** highest flexibility and protection for your dishes, with superior sliding performance.

- SGZ0BI01 decorative strips stainless steel 81,5cm
- SGZ0IC00 Small Item Clip for upper rack
- SGZ1010 inlet and outlet hose extention
- SGZ8BI00 Connection rail for divided furniture
- SMZ1051EU Mains cable with EU-Plug 5m
- SMZ2014 Rack insert for stemware dishwasher
- SMZ2056 Attachment door, stainless steel
- SMZ5003 Retractable hinge f. high corpus dimens.
- SMZ5035 Decor conversion kit, stainless steel
- SMZ5100 Vario-cutlery basket
- SMZ5300 GlassSecure Tray

Energy Efficiency Class (Regulation (EU) 2017/1369): .....	C
Energy Consumption for 100 cycles Eco Programme (EU 2017/1369): .....	75 kWh
The water consumption of the eco programme in liters per cycle (EU 2017/1369): .....	9.5 l
Programme duration (EU 2017/1369): .....	3:55 h
Airborne acoustical noise emissions (EU 2017/1369): ....	42 dB(A) re 1pW
Airborne acoustical noise emission class (EU 2017/1369): .....	B
Cleaning performance: .....	A
Water consumption: .....	9.5 l
Total annual energy consumption 220 days: .....	183 kWh
Total annual water consumption 220 days: .....	2090 l
Built-in / Free-standing: .....	Built-in
Removable top: .....	No
Door panel options: .....	Not possible
Height of removable worktop: .....	0 mm
Height of the appliance: .....	815 mm
Adjustable feet: .....	Yes - all from front
Maximum adjustability feet: .....	60 mm
Adjustable plinth: .....	Both horizontal and vertical
Net weight: .....	47.6 kg
Gross weight: .....	49.5 kg
Connection rating: .....	2400 W
Fuse protection: .....	10 A
Voltage: .....	220-240 V
Frequency: .....	50; 60 Hz
Length electrical supply cord: .....	175.0 cm
Plug type: .....	Gardy plug w/ earthing
Length inlet hose: .....	165 cm
Length outlet hose: .....	190 cm
Hidden heating element: .....	Yes
Water protection system description: .....	Triple water protection 24h
Child safety devices: .....	Yes
Water softener: .....	Yes
Top basket type: .....	R4
Adjustable upper basket: .....	Rackmatic 3-stage
Bottom basket type: .....	R4
3rd Rack: .....	VarioDrawer Pro
Optional accessories: ....	SGZ0BI01, SGZ0IC00, SGZ1010, SGZ8BI00, SMZ1051EU, SMZ2014, SMZ2056, SMZ5003, SMZ5035, SMZ5100, SMZ5300
Included accessories 2: .....	steam protection
Maximum number of place settings: .....	15
Dimensions of the product (HxWxD): .....	815 x 598 x 550 mm
Dimensions of the packed product (HxWxD): .....	870 x 660 x 670 mm

**Series 6, fully-integrated dishwasher,  
60 cm  
SMD6ZCX50E**

- Cutlery Drawer: 2.1
- Touch Points

**PerfectDry based on Patented Zeolith technology: perfect drying results with less energy usage even on difficult to dry dishes.**

---

**Features**

- Zeolith drying technology
- Home Connect: IOT enabled dishwasher
- Integration with: Google / Alexa voice assistance, IFTTT, Fitbit/Apple/Android smart watches, Etc
- Silence on demand
- SpeedPerfect+
- Touch Panel
- Extra Clean Zone
- Glass care system
- AquaSensor, Load sensor
- EcoSilence Drive
- DosageAssist
- Additional Top shower
- Machine Care
- Made in Germany

**Specifications**

- Capacity: 15 place settings
- Energy consumption: 0.83 kWh
- Water consumption: 9.5 litres
- Dimensions (HxWxD): 81.5 x 59.8 x 55 cm
- Noise level: 42 dB

**Programmes**

- 8 programmes: Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 60°C, Express 45°C, Glass, Silence, Custom programme

**Special Options**

- Extra Dry
- Intensive Zone
- SpeedPerfect+
- Remote Start

**Other features**

- Programme remaining time indicator
- LED salt refill indicator
- LED rinse aid refill indicator
- Time delay: 1 - 24 hr

**Safety**

- aquaStop water protection system

**Baskets and Racks**

- Rackmatic 3-stage basket: Adjustable upper rack
- 2 cup shelves in bottom basket
- 2 cup shelves in top basket
- 8x flip tines in lower basket
- 6x flip tines in upper basket

**Series 6, fully-integrated dishwasher,  
60 cm  
SMD6ZCX50E**

measurements in mm



socket  
( ) values with extension kit



measurements in mm